



International Polymer Solutions

5 Studebaker, Irvine, CA 92618

Tel: 949.458.3731

Fax: 949.458.2787

info@ipolymer.com

Website: www.ipolymer.com

Submini 3-Way Solenoid Valves

3-Way PTFE Subminiature Solenoid Valve configuration options:

- * Nine Port Styles to choose from: #10-32-UNF, 1/4"-28-UNF, 1/16" FNPT/Tube, 1/8" FNPT/Tube, 1/4" FNPT/Tube/Flare
- * Four Actuation Coils to choose from: 115VAC, 24VAC, 12VDC, or 24VDC
- * Four O-Ring Seat Seals to choose from: EPDM, Viton, Alfas or Kalrez
- * Four Body-Port Orientations to choose from: 132, 123, 213, or 321

The all PTFE wetted design is ideally suited for semiconductor,

[+ more](#)



1 2 3 4 5 »

Item #	Port/Orifice Size	Coil	Seat Type	Orientation
S13W1A1B-E-123	1/4-28-UNF with 0.063 Orifice	115 VAC	EPDM O-Ring	123
S13W1A1B-E-132	1/4-28-UNF with 0.063 Orifice	115 VAC	EPDM O-Ring	132
S13W1A1B-E-213	1/4-28-UNF with 0.063 Orifice	115 VAC	EPDM O-Ring	213

Item #	Port/Orifice Size	Coil	Seat Type	Orientation
<u>S13W1A1B-E-321</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	EPDM O-Ring	321
<u>S13W1A1B-A-123</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Aflas O-Ring	123
<u>S13W1A1B-A-132</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Aflas O-Ring	132
<u>S13W1A1B-A-213</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Aflas O-Ring	213
<u>S13W1A1B-A-321</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Aflas O-Ring	321
<u>S13W1A1B-V-123</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Viton O-Ring	123
<u>S13W1A1B-V-132</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Viton O-Ring	132
<u>S13W1A1B-V-213</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Viton O-Ring	213
<u>S13W1A1B-V-321</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Viton O-Ring	321
<u>S13W1A1B-K-123</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Kalrez O-Ring	123
<u>S13W1A1B-K-132</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Kalrez O-Ring	132
<u>S13W1A1B-K-213</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Kalrez O-Ring	213
<u>S13W1A1B-K-321</u>	1/4-28-UNF with 0.063 Orifice	115 VAC	Kalrez O-Ring	321
<u>S13W3A1B-E-123</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	EPDM O-Ring	123
<u>S13W3A1B-E-132</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	EPDM O-Ring	132
<u>S13W3A1B-E-213</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	EPDM O-Ring	213
<u>S13W3A1B-E-321</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	EPDM O-Ring	321
<u>S13W3A1B-A-123</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	Aflas O-Ring	123

<u>Item #</u>	<u>Port/Orifice Size</u>	<u>Coil</u>	<u>Seat Type</u>	<u>Orientation</u>
<u>S13W3A1B-A-132</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	Aflas O-Ring	132
<u>S13W3A1B-A-213</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	Aflas O-Ring	213
<u>S13W3A1B-A-321</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	Aflas O-Ring	321
<u>S13W3A1B-V-123</u>	1/4-28-UNF with 0.063 Orifice	24 VAC	Viton O-Ring	123