


AVID STOCKLIST

Unit	Switch Type	Part Number	Inventory Description	On Hand
		CR-0B201BD00-00-0R1	AVID Valve Monitor CR Series, ABS Resin Enclosure, Black / White Visual Indication, Namur Shaft with Direct Mount Bracket, 2 x M20 Conduit Entries, 2 x V3 Mechanical Switches SPDT Contacts pre-wired to 8 point Terminal Strip, unit for a Non Hazardous / Safe Area application.	186
		CR-0B211BD00-00-0R1	AVID Valve Monitor CR Series, ABS Resin Enclosure, Black / White Visual Indication, Namur Shaft with Direct Mount Bracket, 2 x M20 Conduit Entries, 2 x IFM IS5001 Inductive Proximity Sensors, 2-Wire 8VDC, pre-wired to 8 point Terminal Strip. Unit for a General Purpose (Safe Area) Application only. ORACLE CODE: SBXTCA2E2S15Z00	6
		LP-0B203BN00-00-PR1	AVID Valve Position Monitor, LP (Low Profile) Aluminium Enclosure, Metric Direct Mount, Black / White Visual Indicator, Namur Output shaft, 2 x M20 Conduit Entries, 2 x Pepperl & Fuchs NJ2-V3-N Inductive Proximity Sensors pre-wired to 8 point terminal strip. P&F Sensors certified Intrinsically Safe - Exia IIC T6.	11
		LP-0B201BN00-00-0R1	AVID Valve Position Monitor, LP (Low Profile) Aluminium Enclosure, Metric Direct Mount, Black / White Visual Indicator, Namur Output shaft, 2 x M20 Conduit Entries, 2 x V3 Mechanical Switches SPDT Contacts pre-wired to 8 point terminal strip. Unit for a Non Hazardous Application,.	148


AVID STOCKLIST

Unit	Switch Type	Part Number	Inventory Description	On Hand
		LP-0B211BN00-00-0R1	AVID Valve Position Monitor, LP (Low Profile) Aluminium Enclosure, Metric Direct Mount, Black / White Visual Indicator, Namur Output shaft, 2 x M20 Conduit Entries, 2 x IFM IS5001 Inductive Proximity Sensors pre-wired to 8 point terminal strip. Unit for a General Purpose (Safe Area) application only. ORACLE CODE: SBXKLA2E2S15P00	15
		ZR-0B203BD00-00-AR1	AVID ZR Monitor, HiVue Indicator, Namur Shaft complete with Modmount Bracket, 2 x M20 Conduit Entries, 2 x Pepperl & Fuchs NJ2-V3-N Inductive Proximity Sensors pre-wired to 8 point terminal strip. Unit Intrinsically Safe Certified Exia IIC T6.	11
		XA-0B201BD00-00-AR1	AVID Valve Position Monitor, XA Aluminium Enclosure, HiVue Indicator Black / White, Namur Shaft with a Modmount Bracket System fitted, 2 x M20 Conduit Entries, 2 x V3 Mechanical Switches SPDT Contacts pre-wired to a 8 point Terminal Strip. Unit ATEX certified Exd IIB+H2 Explosionproof applications.	20
		ZR-0B201BD00-00-0R1	AVID Valve Monitor ZR Series, Grilamid Resin Enclosure, Black / White HiVue Indication, Namur Shaft with Direct Mount Bracket, 2 x M20 Conduit Entries, 2 x V3 Mechanical Switches SPDT pre-wired to 8 point Terminal Strip, unit for a Non Hazardous / Safe Area application.	15

AVID STOCKLIST

Unit	Switch Type	Part Number	Inventory Description	On Hand
		ZR-0B210BD00-00-0R1	AVID Valve Monitor ZR Series, Grilamid Resin Enclosure, Black / White HiVue Indication, Namur Shaft with Direct Mount Bracket, 2 x M20 Conduit Entries, 2 x IFM IS5026 Inductive Proximity Sensors pre-wired to 8 point Terminal Strip, unit for a Non Hazardous / Safe Area application.	14
		ZR-7B210BD4H-00-0R1	AVID Control Monitor ZR+ Grilamid Enclosure, HiVue Indicator, Namur Shaft with Modmount Bracket System, 2 x M20 Conduit Entries, 2 x IFM IS5026 Inductive Proximity Sensors pre-wired to 8 point terminal strip along with 110VAC Coil, Unit fitted with AVID 1.1cv, 5/2 Way, 1/4" BSP Port Aluminium Solenoid Valve with Hex Override. Unit for a Non Hazardous Safe Area Application	5
		ZR-72210BD1H-00-0R1	AVID Control Monitor ZR+ Grilamid Enclosure, HiVue Indicator, Namur Shaft complete with Modmount Bracket System, 1 x M20 Conduit Entries, 2 x IFM IS5026 Inductive Proximity Sensors pre-wired to 8 point terminal strip along with 24VDC Coil, Unit fitted with AVID 1.1cv, 5/2 Way, 1/4" BSP Port Aluminium Solenoid Valve with Hex Override. Unit for a Non Hazardous Safe Area	3
		SM-I2DD0B-0AR1	AVID SmartCal Positioner, Rotary Application, Direct Mount complete with Modmount bracket, High Pressure application Hart Compliant with Keypad autocalibration, Aluminium Manifold with 1/4" BSP Ports, 1 x M20 Conduit Entry. Unit ATEX Certified Intrinsically Safe Exia IIC T4.	22


AVID STOCKLIST

Unit	Switch Type	Part Number	Inventory Description	On Hand
		SM-I2RD0B-0AR1	AVID SmartCal Positioner, Rotary Application, Remote Mount complete with Modmount bracket, High Pressure application Hart Compliant with Keypad autocalibration, Standard Flow Aluminium Manifold with 1/4" BSP Ports, 1 x M20 Conduit Entry. 50ft Lead to connect SmartCal to remote Housung. Unit ATEX Certified Intrinsically Safe Exia IIC T4.	17
		EZ-CB210DD0B-00-0R3	AVID EaziCal II Electro Pneumatic Positioner, Grilamid Engineered Resin Enclosure, with HiVue Indicator complete with 4-20Ma Retransmission, 2 x IFM IS5026 Inductive Proximity Sensors pre-wired to terminal strip, Aluminium 1/4" BSP Manifold, Unit for a Non Hazardous Application only.	0
		EZ-CB211DD0B-00-0R3	AVID EaziCal II Electro Pneumatic Positioner, Grilamid Engineered Resin Enclosure, with HiVue Indicator complete with 4-20Ma Retransmission, 2 x IFM IS5001 Inductive Proximity Sensors pre-wired to terminal strip, Aluminium 1/4" BSP Manifold, Unit for a Non Hazardous Application only.	60
		EZ-CB000DD0B-00-UR3	AVID EaziCal II Electro Pneumatic Positioner, Grilamid Engineered Resin Enclosure, with HiVue Indicator, 2 x M20 Conduit Entries, complete with 4-20Ma Retransmission, No Limit Switches, Aluminium 1/4" BSP Manifold, Unit for a Non Hazardous Application only.	92

AVID STOCKLIST

Unit	Switch Type	Part Number	Inventory Description	On Hand
		EZ-CB201DD0B-00-0R3	AVID EaziCal II Electro Pneumatic Positioner, Grilamid Engineered Resin Enclosure, with HiVue Indicator complete with 4-20Ma Retransmission, 2 x V3 Mechanical Switches SPDT Contacts pre-wired to terminal strip, Aluminium 1/4"BSP Manifold, Unit for a Non Hazardous Application only.	60
		BR-30017-002	Modmount Bracket System for direct Mount to Keystone Actuators (Can be used on Westlock or AVID products)	88
		LP-0B257BN00-00-PR1	AVID Valve Position Monitor, LP (Low Profile) Aluminium Enclosure, Metric Direct Mount, Black / White Visual Indicator, Namur Output shaft, 2 x M20 Conduit Entries, 2 x Pepperl & Fuchs NBB2-V3-E2-3G-3D Inductive Proximity Sensors pre-wired to 8 point terminal strip. P&F Sensors ATEX Certified.	5
		ZR-0B202CD00-00-AR1	AVID Valve Position Monitor, ZR Series Grilamid Enclosure, HiVue Indicator, Namur Output Shaft with Modmount Direct Mount Bracket system fitted, 2 x M20 Conduit Entries, 2 x T-Switches SPDT Rhodium Contacts pre-wired to an Exe Rated Terminal Strip, Unit ATEX certified Encapsulation / Increased Safety Exmbe II T6.	19

AVID STOCKLIST

Unit	Switch Type	Part Number	Inventory Description	On Hand
		ZR-0B216BD00-00-AR1	AVID Valve Position Monitor, ZR Series Grilamid Resin Enclosure, HiVue Indicator, Namur Shaft complete with Modmount Bracket System, 2 x M20 Conduit Entries, 2 x V3 Mechanical Switches SPDT Gold Plated Contacts pre-wired to 8 point terminal strip, Unit ATEX certified Intrinsically Safe Exia IIC.	2
		ZR-72211BD1H-00-0R1	AVID Control Monitor, ZR+ Grilamid Enclosure with Clear Cover and HiVue Indicator, Namur Shaft with Modmount Bracket System, 1 x M20 Conduit Entry fitted with Blanking Plug, 2 x IFM IS5001 Inductive Proximity Sensors pre-wired to 8 point terminal strip along with 24VDC Coil, Unit fitted with 1.1cv, 5/2 Way, 1/4" BSP Aluminium Solenoid Valve with Hexagon Override. Unit for a General Purpose Application	3