

GALA | *Regulating
Systems*



GENERAL CATALOGUE

Catalogue 2018

Company Profile

GALA - Extends Business on a Global Perspective.

GALA company offers a wide range of products and systems in the field of valves, piping, and seismic isolation for applications ranging from equipment for office buildings, fire fighting, heating, water works, sewerage, marine, industrial to top fluid control. Our aim is meaningful contribution to society by providing comfort and safety through our products, technical skills and services!

GALA - Professional Manufacturer of Industrial Valves

GALA have variety products to meet customer demand of different valve. Designing, manufacture and sale of one-stop service is the company's core strengths.

GALA products cover the following industry area:

Water supply system, water treatment, food, chemical, cement, air-conditioning systems, industry engineering, nuclear power, papermaking, Petrochemical Industry, pharmaceutical, Powder Industry, steel industry, sugar refining, textiles and so on. GALA anti-pollution environmental protection industry is one of the major business. GALA provides various valve for wastewater processing and exhaust gas processing.

GALA have wide variety of industrial valves, including following main products:

- ◆ Fire Protection Valve
- ◆ Balancing Valve
- ◆ Butterfly Valve
- ◆ Gate Valve, Globe Valve, Check Valve, Ball Valve, Strainer
- ◆ Bronze and Brass Valve
- ◆ Flexible Rubber Joint
- ◆ Flexible Stainless Steel Hose, Expansion Joint

Other Valves and fittings are also available from GALA.

All products will be designed, manufactured and assembly by GALA.





Wafer Butterfly Valve
Fig.2302
Standard:BS 5155/EN 593/ API 609/
MSS SP-67
Size:DN40~DN1200



Lug Butterfly Valve
Fig.2502
Standard:BS 5155/EN 593/ API 609/
MSS SP-67
Size:DN40~DN1000



U-Type Butterfly Valve
Fig.2122
Standard:BS 5155/EN 593/ API 609/
MSS SP-67
Size:DN125~DN1200



AWWA C504 Double Flanged Butterfly Valve
Fig.2102
Standard:AWWA C504
Size:DN80~DN1500



ISO Double Flanged Butterfly Valve
Fig.2123
Standard:EN593/BS5155
Size:DN50~DN3000



Double Eccentric Butterfly Valve
Fig.2688
Standard:EN593/BS5155
Size:DN100~DN2000



AWWA Double Eccentric Butterfly Valve
Fig.2630
Standard:AWWA C504
Size:DN200~DN1200



Triple Eccentric Butterfly Valve
Fig.2986
Standard:EN593/BS5155
Size:DN50~DN2800



Wafer Rubber Lining Butterfly Valve
Fig.2330
Standard:ISO 5752/BS 5155/EN 593
MSS SP-67/API 609
Size:DN40~DN600



Lug Rubber Lining Butterfly Valve
Fig.2530
Standard:ISO 5752/BS 5155/EN 593
MSS SP-67/API 609
Size:DN40~DN600



Wafer Split Body Concentric Butterfly Valve
Fig.2310
Standard: BS5155/EN593/MSS SP-67/API609
Size:DN50~DN600



Double Flange Split Body Concentric Butterfly Valve
Fig.2110
Standard: BS5155/BS EN593
Size:DN50~DN600



BS/MSS OS&Y Metal Seated Gate Valve
Fig.3113
Standard:EN 1171(BS 5150)
MSS SP-70
Size:DN50~DN600



BS/MSS NRS Metal Seated Gate Valve
Fig.3123
Standard:EN 1171(BS 5150)
MSS SP-70
Size:DN50~DN600



BS NRS Metal Seated Gate Valve
Fig.3129
Standard:BS3464
Size:DN40~DN300



DIN OS&Y Metal Seated Gate Valve
Fig.3213
Standard:DIN 3352
Size:DN40~DN300



DIN NRS Metal Seated Gate Valve
Fig.3125
Standard:DIN 3352
Size:DN40~DN300



AWWA C509 NRS Resilient Seat Gate Valve
Fig.3226
Standard: AWWA C509
Size: DN50~DN300



BS OS&Y Resilient Seat Gate Valve
Fig.3233
Standard:BS 5163
Size:DN50~DN300



BS NRS Resilient Seat Gate Valve
Fig.3243
Standard:BS 5163
Size:DN50~DN600



DIN NRS Resilient Seat Gate Valve
Fig.3246
Standard:DIN 3352
Size:DN50~DN600



DIN OS&Y Resilient Seat Gate Valve
Fig.3623
Standard:DIN 3352
Size:DN50~DN300



Cast Iron Ball Valve
Fig.4102
Standard:MSS SP-72
Size:DN50~DN200




Foot Valve
Fig.1120
Standard:MSS SP-125
Size:DN50~DN600



Wafer Type Single Door Check Valve
Fig.5315
Size:DN32~DN300



Wafer Type Double Door Check Valve
Fig.5306/5307
Standard:5306 DIN 3202
5307 API 594
Size:DN40~DN900



Full RubberLined Wafer Type Double Door Check Valve
Fig.5316
Standard:DIN 3202
Size:DN50~DN600



Wafer Type Silent Check Valve
Fig.5311/5312
Standard:MSS SP-125
Size:DN50~DN350



Globe Type Silent Check Valve
Fig.5103/5104
Standard:MSS SP-125
Size:DN50~DN600



BS/MSS Metal Seated Flange Type Swing Check Valve
Fig.5101/5102
Standard:5101 EN 12334 (BS 5153)
5102 MSS SP-71
Size:DN50~DN600



Flange Type Lifting Check Valve
Fig.5203
Standard:F-F to DIN 3202 F1
Size:DN15~DN300



Swing-Flex Check Valve
Fig.5121
Standard:AWWA C508
Size:DN50~DN300



Ball Check Valve
Fig.5109
Standard:EN558-1
Size: DN50~DN350



BS/MSS OS&Y Globe Valve
Fig.6123
Standard:BS EN 13789 (BS 5152) /
MSS SP-85
Size:DN50~DN300



DIN OS&Y Globe Valve
Fig.6125
Standard:DIN 3356
Size:DN15~DN300



Y-Type Strainer
Fig.7201
Size:DN50~DN600



Basket Type Strainer
Fig.7105
Size:DN50~DN600




Flanged Orifice Air Valve
Fig.9101
Size:DN25~DN250



Flanged Double Orifice Air Valve
Fig.9201
Size:DN25~DN200



Screwed Air Vent
Fig.9701
Size:DN15~DN25



Fixed Orifice Double Regulating Valve
Fig.1209-BT/BTM
Standard: BS 7350
Size: DN15~DN80



Fixed Orifice Double Regulating Valve
Fig.1209-DF/DFM
Standard:BS 7350
Size:DN65~DN600



Variable Orifice Double Regulating Valve
Fig.1210-DF/DFM
Standard:BS 7350
Size:DN65~DN600



Variable Orifice Double Regulating Valve
Fig.1210-BT/BTM
Standard:BS 7350
Size:DN15~DN50



Double Flow Measurement Device
Fig.1200-SSW
Size:DN65~DN600



Pressure Test Valve
Fig.1200-PT




Extension Tube
Fig.1200-ET



Pressure Independent Control Valve
Fig.1230-BT
Size:DN15~DN32



Pressure Independent Control Valve
Fig.1230-DF
Size:DN40~DN250



Differential Pressure Control Valve
Fig.1250-BT
Size:DN15~DN50



Differential Pressure Control Valve
Fig.1250-DF
Size:DN40~DN250



Float Control Valve-Modulating
Fig.1310
Standard:EN 1074 BS 1567
EN 12266-1
Size:DN40~DN1000



Pressure Reducing Valve
Fig.1320
Standard:EN 1074 BS 1567
EN 12266-1
Size:DN40~DN1000



Slow Control Check Valve
Fig.1330
Standard:EN 1074 BS 1567
EN 12266-1
Size:DN40~DN1000



Flow Control Valve
Fig.1340
Standard:EN 1074 BS 1567
EN 12266-1
Size:DN40~DN1000



Pressure Sustaining / Relief Valve
Fig.1350
Standard:EN 1074 BS 1567
EN 12266-1
Size:DN40~DN1000



Differential Pressure Control Valve
Fig.1380
Standard:EN 1074 BS 1567
EN 12266-1
Size:DN40~DN1000



Resilient Seated NRS Type-Flange Ends
Fig.322FF
Standard:AWWA C515/BS5163
Size:DN50~DN600



Resilient Seated NRS Type-Flange-Groove Ends
Fig.322FG
Standard:AWWA C515/BS5163
Size:DN50~DN300



Resilient Seated NRS Type-Groove Ends
Fig.322GG
Standard:AWWA C515/BS5163
Size:DN50~DN300



Resilient Seated NRS Type-MJ-MJ Ends
Fig.322MJ
Standard:AWWA C515/BS5163
Size:DN80~DN300



Resilient Seated NRS Type-Flange-MJ Ends
Fig.322FM
Standard:AWWA C515/BS5163
Size:DN80~DN300



Resilient Seated OS&Y Type-Flange Ends
Fig.333FF
Standard: AWWA C515/BS5163
Size:DN50~DN600



Resilient Seated OS&Y Type-Flange-Groove Ends
Fig.333FG
Standard:AWWA C515/BS5163
Size:DN50~DN300



Resilient Seated OS&Y Type-Groove-Groove Ends
Fig.333GG
Standard:AWWA C515/BS5163
Size:DN50~DN300



Resilient Seated OS&Y Type-MJ-MJ Ends
Fig.333MJ
Standard:AWWA C515/BS5163
Size:DN80~DN300



Resilient Seated OS&Y Type-Flanged-MJ Ends
Fig.333FM
Standard:AWWA C515/BS5163
Size:DN80~DN300



Swing Check Resilient Seated Flanged Ends
Fig.55FF
Standard:AWWA C508
Size:DN50~DN300



Resilient Seated Grooved Ends
Fig.50GG
Standard:AWWA C508
Size:DN50~DN200



Resilient Seated Check Wafer Ends
Fig.50W
Standard:API 594
Size:DN50~DN300



Y Strainer Flange-Flange Ends
Fig.70FF
Size:DN50~DN300



Y Strainer Flange--Groove Ends
Fig.70FG
Size:DN50~DN300



Y Strainer Groove--Groove Ends
Fig.70GG
Size:DN50~DN300



Butterfly Valve Resilient Seated Wafer Ends
Fig.25W
Size: DN50~DN300



Butterfly Valve Resilient Seated Lug Ends
Fig.25L
Size: DN50~DN300



Butterfly Valve Resilient Seated Groove Ends
Fig.25GG
Size: DN50~DN300



Air Release Valve
Fig.9712
Size: DN15~DN25



Indicator Post - Underground Type
Fig.G388
Size:DN50~DN300



Indicator Post - Wall Type
Fig.W388
Size:DN50~DN300



Indicator Post - Underground Type
Fig.G322
Size:DN350~DN600



Bronze Ball Valve
Fig.1251
Standard:MSS SP-110
Size:DN15~DN100




Bronze NRS Gate Valve
Fig.3152
Standard:MSS SP-80
Size:DN15~DN100



Bronze RS Gate Valve
Fig.3153
Standard:MSS SP-80
Size:DN15~DN50



Bronze Swing Check Valve
Fig.5451
Standard:MSS SP-80
Size:DN15~DN100



Bronze Globe Valve
Fig.6352
Standard:MSS SP-80
Size:DN15~DN50



Bronze Angle Valve
Fig.6400
Standard:MSS SP-80
Size:DN15~DN50



Bronze Y-Strainer (General)
Fig.7654L
Size:DN15~DN80



Bronze Y-Strainer
Fig.7654
Size:DN15~DN80



Bronze Vertical Lift Check Valve
Fig.5407
Standard:MSS SP-80
Size:DN15~DN50



Bronze Foot Valve
Fig.5505
Standard:MSS SP-80
Size:DN15~DN50



Brass Ball Valve
Fig.1201
Size:DN15~DN100



Brass NRS Gate Valve
Fig.3101
Size:DN15~DN100



Brass Gate Valve
Fig.3104
Size:DN15~DN100



Brass Auto Air Vent
Fig.9801
Size:DN15~DN25



Brass Vertical Lift Check Valve
Fig.5307
Size:DN15~DN100



Single-Sphere Rubber Join with Floating Flanges
Fig.GFLEX-F1
Size:DN32~DN600



Twin-Sphere Rubber Join with Floating Flanges
Fig.GFLEX-F2
Size:DN32~DN600



Screwed Type Flexible Rubber Joint
Fig.GFLEX-GS
Size:DN15~DN50



Union Type Flexible Hose
Fig.GF100
Size:DN15~DN50



Flange Type Flexible Hose
Fig.GF600
Size:DN15~DN300



Expansion Joint Complete With Shipping Rods
Fig.GF900
Size:DN20~DN600



General Pressure Gauge-G Series



Stainless Steel Pressure General Pressure Gauge-S Series



Industrial Thermometer-1T Series



V-Line Thermometer-VT Series Straight Type



V-Line Thermometer-VT Series 90° Angle Type