

VALVES

Product Catalog



Certifications and Approvals

Matco-Norca is committed to maintaining a high standard of quality for all the products we offer. Most products in this catalog are labeled with a designated approval or certification code. Below is a brief description of these approvals.

	ADA	American Disabilities Act — Protecting the rights of people with physical or mental disabilities.
	ANSI	American National Standards Institute — Organization that coordinates work among U.S. Standards writing groups; Works in conjunction with other groups such as ISO, ASME, ASTM, etc.
	ASME	American Society of Mechanical Engineers — Develops standards and testing criteria for finished products.
	ASSE	American Society of Sanitary Engineering — Develops standards and qualifies products for plumbing and sanitary installations.
	ASTM	American Society for Testing Materials — Develops standards for materials, products, systems and services.
	AWWA	American Water Works Association — Promotes public health through improvement of water quality. Develops standards for valves, fittings and equipment.
	CSA	Canadian Standards Association — Develops standards, tests and qualifies products used in gas lines and gas appliance installations.
	CEC	California Energy Commission — As the state's primary energy policy and planning agency, the California Energy Commission is committed to reducing energy costs and environmental impacts of energy use - such as greenhouse gas emissions - while ensuring a safe, resilient, and reliable supply of energy.
	EPA	EPA WaterSense® — A U.S. Environmental Protection Agency (EPA) program designed to encourage water efficiency in the United States through the use of a special label on consumer products.
	FM	Factory Mutual — Develops standards and qualifies products for use by the general public.
	ISO	International Standards Association — A worldwide process control organization. An internationally recognized certification for manufacturers that comply with high standards of quality control. Developed standards ISO-9000 through ISO-9004.
	MSS	Mechanics Standardization Society of the Valves & Fittings Industry, Inc. — A committee of manufacturers that develops technical codes and standards for the valve & fitting industry.
	NACE	National Association of Corrosion Engineers — Equips society to protect people, assets and the environment from the adverse effects of corrosion.
	NSF	NSF International — An organization committed to public health that writes standards and certifies products for food, water and consumer products.
	SDWA	The Safe Drinking Water Act — Is the main federal law that ensures the quality of Americans' drinking water. Under SDWA, EPA sets standards for drinking water quality and oversees the states, localities, and water suppliers who implement those standards. Weighted average lead content of water contact components must be 0.25% or less.
	UL	Underwriter's Laboratory — Tests and qualifies valve and fittings products under UL standards for safety.
	UPC	Uniform Plumbing Code — Developed by the International Association of Plumbing and Mechanical Officials to govern the installation and inspection of plumbing systems as a means of promoting the public's health, safety and welfare.
	USC	University of Southern California — Foundation for Cross-Connection Control and Hydraulic Research that lists approved backflow prevention assemblies.

Ball Valves - Full Port



757		Ball Valve - Full Port - Forged Brass - UL/FM Certified	
• Lead Free Version Available • CSA Approved • 600 WOG - 150 SWP			
Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
757T01	1/4"	12	144
757T02	3/8"	12	144
757T03	1/2"	12	144
757T04	3/4"	10	70
757T05	1"	10	60
757T06	1-1/4"	6	36
757T07	1-1/2"	4	24
757T08	2"	4	6
			

759LHLF		Lead Free Ball Valve - Full Port - Forged Brass - With Locking Handle	
•CSA Approved - 1/2” - 2” •600 WOG - 150 SWP			
Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
759T01LHLF	1/4”	15	120
759T02LHLF	3/8”	15	120
759T03LHLF	1/2”	15	120
759T04LHLF	3/4”	10	60
759T05LHLF	1”	8	48
759T06LHLF	1-1/4”	4	24
759T07LHLF	1-1/2”	2	24
759T08LHLF	2”	2	12
759T09LHLF	2-1/2”	2	6
759T10LHLF	3”	2	4
759T11LHLF	4”	1	2
			

759 Ball Valve - Full Port - Forged Brass				
• Lead Free Version Available • CSA Approved - 1/2" - 2" IPS Only • 600 WOG - 150 SWP 1/4" - 2" • 400 WOG - 100 SWP 2-1/2" - 4"				
Model Number			Carton Quantities	
IPS	CxC	SIZE	INNER	MASTER
759T01	-	1/4"	15	120
759T02	-	3/8"	15	120
759T03	759C03	1/2"	15	120
759T04	759C04	3/4"	10	60
759T05	759C05	1"	8	48
759T06	759C06	1-1/4"	4	24
759T07	759C07	1-1/2"	2	24
759T08	759C08	2"	2	12
759T09	759C09	2-1/2"	2	6
759T10	759C10	3"	1	4
759T11	759C11	4"	1	2
Also Available with Tee Handle: 1/4" - 1"				
759T01T	-	1/4"	12	144
759T03T	759C03T	1/2"	15	120
759T04T	759C04T	3/4"	10	60
759T05TLF	759C05T	1"	8	48
Also Available with Stainless Steel Thumb Grip Handle: 1/2" - 1" Handles Are Not Interchangeable.				
759T03TS	-	1/2"	15	120
759T04TS	759C04TS	3/4"	10	80
759T05TS	759C05TS	1"	8	48

Ball Valves - Full Port



Ball Valve - Full Port - Forged Brass - MIP X FIP

759MF

- Lead Free Version Available
- 600 WOG

Model Number		Carton Quantities	
WITH TEE HANDLE	SIZE	INNER	MASTER
759MF0001T	1/8" x 1/4"	12	144
759MF00T	1/8" x 1/8"	12	144
759MF01T	1/4" x 1/4"	12	144

Lead Free Push Connect Ball Valve - Full Port - Forged Brass

720QLF

- 200 WOG

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
720Q03LF	1/2"	12	72
720Q04LF	3/4"	12	60
720Q05LF	1"	6	36



Ball Valve - Full Port - Forged Brass - Heavy Duty - Made In Italy

755

- 1/4" - 2" - 150 SWP 600 WOG
- 2-1/2" - 4" - 100 SWP 400 WOG
- Nickel Plated
- UL/FM Certified 1/2" - 2"

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
755T01	1/4"	10	150
755T02	3/8"	10	120
755T03	1/2"	20	120
755T04	3/4"	12	60
755T05	1"	10	30
755T06	1-1/4"	4	20
755T07	1-1/2"	4	16
755T08	2"	2	6
755T09	2-1/2"	1	5
755T11	4"	1	4



Lead Free Press Ball Valve - Full Port - Forged Brass

759PLF

- 1/2" - 2" - 600 WOG
- 2-1/2" - 4" - 250 WOG
- Stem Extensions & Locking Handles Available

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
759P03LF	1/2"	15	120
759P04LF	3/4"	10	60
759P05LF	1"	8	48
759P06LF	1-1/4"	4	24
759P07LF	1-1/2"	2	24
759P08LF	2"	2	12
759P09LF	2-1/2"	2	6
759P10LF	3"	2	4
759P11LF	4"	1	2



Lead Free Press Ball Valve - Full Port - Forged Brass - With Waste Drain

759PDLF

- 150 SWP
- 600 WOG

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
759PD03LF	1/2"	10	100
759PD04LF	3/4"	10	60
759PD05LF	1"	8	48




Lead Free Ball Valve - Full Port - Forged Brass

750LF

- 150 SWP
- 600 WOG

Model Number		Carton Quantities		
IPS	CxC	SIZE	INNER	MASTER
750T03LF	750C03LF	1/2"	8	80
750T04LF	750C04LF	3/4"	8	64
750T05LF	750C05LF	1"	8	48
750T06LF		1-1/4"	4	24
750T07LF		1-1/2"	2	24
750T08LF		2"	2	12

Ball Valves - Full Port & Standard Port



754N Ball Valve - Full Port - Forged Brass

- 1/4" - 2" - 150 SWP 600 WOG
- 2-1/2" - 4" - 100 SWP 400 WOG
- Nickel Plated

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
754T01N	1/4"	30	120
754T02N	3/8"	30	120
754T03N	1/2"	15	120
754T04N	3/4"	10	90
754T05N	1"	6	60
754T06N	1-1/4"	6	36
754T07N	1-1/2"	4	24
754T08N	2"	2	16
754T09N	2-1/2"	1	8
754T10N	3"	1	6
754T11N	4"	1	4
<i>Also Available with Stainless Steel Cross Handle - IPS Only</i>			
754T05NX	1"	5	60

752N Ball Valve - Standard Port - Forged Brass

- Lead Free Version Available
- IPS 1/4" - 2" - 150 SWP 600 WOG
- IPS 2-1/2" - 4" - 150 SWP 400 WOG
- CxC 3/8" - 2" - 150 SWP 400 WOG

Model Number			Carton Quantities	
IPS	CxC	SIZE	INNER	MASTER
752T01N	-	1/4"	6	240
752T02N	752C02N	3/8"	6	240
752T03N	752C03N	1/2"	6	120
752T04N	752C04N	3/4"	6	120
752T05N	752C05N	1"	6	60
752T06N	752C06NLF	1-1/4"	2	30
752T07N	752C07N	1-1/2"	2	30
752T08N	752C08N	2"	2	24
752T09N	-	2-1/2"	1	12
752T10N	-	3"	1	8
752T11N	-	4"	1	6
<i>Also Available with Stainless Steel Cross Handle - IPS Only</i>				
752T03NX		1/2"	10	100
752T04NX		3/4"	10	100

300BV Lead Free Long Bonnet Brass Ball Valve - Full Port

- 600 WOG

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
300LC3BVLf	1/2" C x C	6	72
300LT3BVLf	1/2" IPS	6	72
300LC4BVLf	3/4" C x C	6	72
300LT4BVLf	3/4" IPS	6	72

Ball Valve - Standard Port - One Piece - 316 Stainless Steel

760

- 1/4" - 1-1/4" - 1000 WOG
- 1-1/2" - 2" - 800 WOG

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
760T01	1/4"	60	250
760T02	3/8"	40	160
760T03	1/2"	20	80

Ball Valves - Full Port & Standard Port



754PXLF



754PXDELF



754PXCELF



754PXCEDELf

Lead Free Ball Valve - Full Port - Forged Brass - Pex Barb Ends

754PXLF

- 150 SWP
- 600 WOG

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
754PX03LF	1/2" x 1/2" PEX	10	100
754PX04LF	3/4" x 3/4" PEX	10	100
754PX05LF	1" x 1" PEX	8	48
754PX06LF	1-1/4" x 1-1/4" PEX	4	24
754PX07LF	1-1/2" x 1-1/2" PEX	2	24
754PX08LF	2" x 2" PEX	2	12
WITH TEE HANDLE			
754PX03TLF	1/2" x 1/2" PEX	10	100
754PX04TLF	3/4" x 3/4" PEX	10	100
754PX05TLF	1" x 1" PEX	8	48
MNPT X PEX			
754PXM03LF	1/2" x 1/2" PEX	10	100
754PXM04LF	3/4" x 3/4" PEX	8	64
754PXM05LF	1" x 1" PEX	6	48
WITH WASTE DRAIN & DROP EAR			
754PXDE03LF	1/2" x 1/2" PEX	8	80
754PXDE04LF	3/4" x 3/4" PEX	8	80
754PXDE05LF	1" x 1" PEX	4	40



Lead Free Cold Expansion Ball Valve - Full Port - Forged Brass - Pex Barb Ends

754PXCELF

- 100 SWP
- 400 WOG


Model Number		Carton Quantities	
	SIZE	INNER	MASTER
754PXCE03LF	1/2" x 1/2" PEX	10	100
754PXCE04LF	3/4" x 3/4" PEX	10	100
754PXCE05LF	1" x 1" PEX	6	48
754PXCE06LF	1-1/4" x 1-1/4" PEX	6	24
754PXCE07LF	1-1/2" x 1-1/2" PEX	4	16
754PXCE08LF	2" x 2" PEX	2	8
WITH TEE HANDLE			
754PXCE03TLF	1/2" x 1/2" PEX	10	100
754PXCE04TLF	3/4" x 3/4" PEX	10	100
754PXCE05TLF	1" x 1" PEX	6	48
WITH WASTE DRAIN & DROP EAR			
754PXCEDE03LF	1/2" x 1/2" PEX	10	100
754PXCEDE04LF	3/4" x 3/4" PEX	10	100
754PXCEDE05LF	1" x 1" PEX	6	48
MNPT X COLD EXPANSION			
754PXCEM03LF	1/2" x 1/2" PEX	10	100
754PXCEM04LF	3/4" x 3/4" PEX	8	80
754PXCEM05LF	1" x 1" PEX	6	48
FNPT X COLD EXPANSION			
754PXCEF03LF	1/2" x 1/2" PEX	10	100
754PXCEF04LF	3/4" x 3/4" PEX	8	64
754PXCEF05LF	1" x 1" PEX	6	48



Ball Valves - Full Port & Standard Port




752CMPLF




752TUF

752CUF



754DTLF

754DCLF



755MF



755MFZ

752CMPLF Lead Free Ball Valve - Standard Port - Forged Brass

- 400 WOG
- With Compression Ends For Copper Tube Pipe

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
752CMP3LF	1/2" nominal	25	100
752CMP4LF	3/4" nominal	15	60
752CMP5LF	1" nominal	10	40

752UF Ball Valve - Full Port - Uni-Flange With Gasket, 2 Bolts & 2 Nuts

- 400 WOG

Model Number		Carton Quantities		
IPS x FLANGE	COPPER x FLANGE	SIZE	INNER	MASTER
752T04UF	752C04UF	3/4"	1	24
752T05UF	752C05UF	1"	2	18
752T06UF	752C06UF	1-1/4"	1	12
752T07UF	752C07UF	1-1/2"	1	10

754DLF Lead Free Ball Valve - Full Port - Cast Brass

- 400 WOG
- With Waste Drain

Model Number		Carton Quantities		
IPS	CxC	SIZE	INNER	MASTER
754DT3LF	754DC3LF	1/2"	20	80
754DT4LF	754DC4LF	3/4"	10	40
754DT5LF	754DC5LF	1"	4	16
DRAIN CAP				
754PCAP		1/2" - 1"	1	500

755MF Ball Valve - Male x Female Test Cock - Cast Bronze

- Lead Free Version Available
- 150 SWP 600 WOG

Model Number		Carton Quantities		
WITH LEVER HANDLE	SIZE	INNER	MASTER	
755MF00	1/8" MIP x 1/8" FIP	12	144	
755MF0	1/8" MIP x 1/4" FIP	12	144	
755MF1	1/4" MIP x 1/4" FIP	12	144	
WITH SLOTTED SCREW				
755MFZ0	1/8" MIP x 1/4" FIP	50	200	
755MFZ1	1/4" MIP x 1/4" FIP	20	200	

Need Help?

CONTACT US DIRECTLY

1. mail@matco-norca.com
2. (800) 688-2583
3. matco-norca.com/contact us





200TLF



240T



240TH



200LT



200ALC

Lead Free Globe Valve - Brass - Hard Seat

200LF

- 125 SWP
- 200 WOG

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
200T02LF	3/8"	10	100
200T03LF	1/2"	10	100
200T04LF	3/4"	5	60
200T05LF	1"	5	40
200T06LF	1-1/4"	5	30
200T07LF	1-1/2"	4	24
200T08LF	2"	2	16



Angle Control Valve - Globe Pattern - Brass - Soft Seat - Cross Handle

240T

- Lead Free Version Available
- 200 PSI CWP

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
240T04	3/4"	8	40
240T05	1"	4	24
240T06	1-1/4"	2	10
240T07	1-1/2"	2	10
240T08	2"	2	10

Angle Control Valve - Globe Pattern - Brass - Soft Seat - Bronze Wheel Handle

240H

- Lead Free Version Available
- 200 PSI CWP

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
240T08H	2"	2	24

Globe Valve - Long Bonnet - Brass - Soft Seat

200L/
200AL

- Lead Free Version Available
- 125 PSI

Model Number		Carton Quantities	
STRAIGHT PATTERN	SIZE	INNER	MASTER
200LT3	1/2" IPS	12	72
200LT4	3/4" IPS	12	72
200LC3	1/2" C x C	12	72
200LC4	3/4" C x C	12	72
ANGLE PATTERN	SIZE	INNER	MASTER
200ALT3	1/2" IPS	12	72
200ALC3	1/2" C x C	12	72

Gas Valves



58LGA3N



58LGA4N



58LGA5N



58LGA3N



58LGA3N



58LGA3N

58LGA3N Gas Ball Valve - 1/2 PSIG And 5G - Two Piece

Model Number		Carton Quantities	
FIP x FIP	SIZE	INNER	MASTER
58LGA3N	1/2"	12	120
58LGA4N	3/4"	12	120
58LGA5N	1"	6	60



58LGA3N Gas Ball Valve - 1/2 PSIG And 5G - Two Piece

Model Number		Carton Quantities	
FIP x FLARE	SIZE	INNER	MASTER
58LGA32	1/2" FIP x 3/8" FL	12	144
58LGA33	1/2" FIP x 1/2" FL	12	144
58LGA39	1/2" FIP x 9/16" - 24	12	144
58LGA4	3/4" FIP x 15/16" - 24	12	144



58LGA3N Gas Ball Valve - 1/2 PSIG And 5G - Two Piece

Model Number		Carton Quantities	
FLARE x FLARE	SIZE	INNER	MASTER
58LGA32	3/8" O.D. x 3/8" O.D.	12	144
58LGA33	1/2" O.D. x 1/2" O.D.	12	144



58LGA3N Gas Ball Valve - 1/2 PSIG And 5G - One Piece

Model Number		Carton Quantities	
FIP x FIP	SIZE	INNER	MASTER
58LGA3	1/2"	12	96
58LGA4	3/4"	20	80



58LGA3N Gas Ball Valve - 1/2 PSIG And 5G - One Piece

Model Number		Carton Quantities	
FIP x FLARE	SIZE	INNER	MASTER
58LGA32	1/2" FIP x 3/8" FL	1	144
58LGA33	1/2" FIP x 1/2" FL	12	144
58LGA34	3/4" FIP x 1/2" FL	1	1
58LGA39	1/2" FIP x 9/16" - 24	12	144



58LGA3N Gas Ball Valve - 1/2 PSIG And 5G - Made In Italy - One Piece

Model Number		Carton Quantities	
FLARE x FLARE	SIZE	INNER	MASTER
58LGA34	5/8" O.D. x 5/8" O.D.	1	100



Log Lighter Valves & Accessories



Log Lighter Valves				58
Model Number		Carton Quantities		
VALVE ONLY	SIZE	INNER	MASTER	
58-S03	1/2" Straight Valve	15	120	
58-A03	1/2" Angle Valve	15	120	
STRAIGHT VALVE - COMPLETE KITS INCLUDE VALVE, ESCUTCHEON AND 3" KEY				
58-STR03	1/2" With Chrome Plated Escutcheon & Key	1	25	
58-STR03P	1/2" With Polished Brass Escutcheon & Key	1	25	
ANGLE VALVE - COMPLETE KITS INCLUDE VALVE, ESCUTCHEON AND 3" KEY				
58-ANG03	1/2" With Chrome Plated Escutcheon & Key	1	25	
58-ANG03P	1/2" With Polished Brass Escutcheon & Key	1	25	
				

Log Lighter Valve - Escutcheons & Keys				58
Model Number		Carton Quantities		
ESCUTCHEONS	SIZE	INNER	MASTER	
58-300CPD	Domed Chrome Plated	1	72	
58-300PBD	Domed Polished Brass	1	72	
58-300BND	Domed Brushed Nickel	1	72	
58-300SND	Domed Satin Nickel	1	72	
58-300BN	Flat Brushed Nickel	1	120	
58-300CP	Flat Chrome Plated	1	120	
58-300PB	Flat Polished Brass	1	120	
KEYS				
58-200CP	3" Chrome Plated for 1/4" Stem	1	400	
58-208CP	8" Chrome Plated for 1/4" Stem	1	400	
58-208PB	8" Polished Brass for 1/4" Stem	1	180	
58-212PB	12" Polished Brass for 1/4" Stem	20	120	
58-208BN	8" Brushed Nickel for 1/4" Stem	1	400	
58-212BN	12" Brushed Nickel for 1/4" Stem	20	100	
58-200SN	3" Satin Nickel for 1/4" Stem	1	1	
				

White & Gray PVC Ball Valves




770		Sch. 40 PVC Ball Valve - NSF - Solvent & Threaded - PTFE Seats		
• 150 PSI @ 73° F				
• Fits Both Schedule 40 & 80 Pipe				
Model Number			Carton Quantities	
SOLVENT	THREADED	SIZE	INNER	MASTER
770S03	770T03	1/2"	1	100
770S04	770T04	3/4"	1	100
770S05	770T05	1"	1	50
770S06	770T06	1-1/4"	1	50
770S07	770T07	1-1/2"	1	50
770S08	770T08	2"	1	20
770S09	770T09	2-1/2"	1	12
770S10	770T10	3"	1	12
770S11	770T11	4"	1	6
See 770N for 6" PVC Ball Valve.				
				

770G		Sch. 80 PVC Ball Valve - NSF - Solvent & Threaded - PTFE Seats		
• 150 PSI @ 73° F				
• Fits Both Schedule 40 & 80 Pipe				
Model Number			Carton Quantities	
SOLVENT	THREADED	SIZE	INNER	MASTER
770S03G	770T03G	1/2”	1	100
770S04G	770T04G	3/4”	1	100
770S05G	770T05G	1”	1	50
770S06G	770T06G	1-1/4”	1	50
770S07G	770T07G	1-1/2”	1	50
770S08G	770T08G	2”	1	20
770S09G	770T09G	2-1/2”	1	12
770S10G	770T10G	3”	1	12
770S11G	770T11G	4”	1	6
				

770N		Sch. 40 PVC Ball Valve - Solvent & Threaded - PTFE Seats		
• 150 PSI @ 73° F • Fits Both Schedule 40 & 80 Pipe • Economy Pattern				
Model Number			Carton Quantities	
SOLVENT	THREADED	SIZE	INNER	MASTER
770S03N	770T03N	1/2”	10	100
770S04N	770T04N	3/4”	10	100
770S05N	770T05N	1”	10	50
770S06N	770T06N	1-1/4”	5	50
770S07N	770T07N	1-1/2”	5	50
770S08N	770T08N	2”	5	20
770S09N	770T09N	2-1/2”	1	12
770S10N	770T10N	3”	1	12
770S11N	770T11N	4”	1	6
770S13N	-	6”	1	5
Sizes 2-1/2” - 6” Come with Lever Handles.				
				

PVC & CPVC Ball Valves



PVC Ball Valve - Single Union - Solvent & Threaded - EPDM Seats

773

• 150 PSI @ 73° F

Model Number			Carton Quantities	
SOLVENT	THREADED	SIZE	INNER	MASTER
773S07	773T07	1-1/2"	1	48
773S08	773T08	2"	1	24

PVC Ball Valve - True Union - Solvent or Threaded Ends - PTFE Seats

772

• Solvent or Threaded Ends In Box

• 150 PSI @ 73° F

Model Number			Carton Quantities	
SOLVENT	THREADED	SIZE	INNER	MASTER
772S10	772T10	3"	1	6
772S11	772T11	4"	1	1

Sch. 80 PVC Ball Valve - True Union - Solvent & Threaded Ends - PTFE Seats

772ST

• Both Solvent & Threaded Ends In Box

• 150 PSI @ 73° F

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
772ST03	1/2"	1	72
772ST04	3/4"	1	60
772ST05	1"	1	45
772ST06	1-1/4"	1	24
772ST07	1-1/2"	1	16
772ST08	2"	1	12

See 772 for 3"- 4" True Union Ball Valves.

CPVC Ball Valve - NSF Approved - PTFE Seats


771

• 100 PSI @ 180° F

Model Number		Carton Quantities	
SOLVENT	SIZE	INNER	MASTER
771S03	1/2"	1	100
771S04	3/4"	1	100
771S05	1"	5	40
771S06	1-1/4"	1	100
771S07	1-1/2"	1	48
771S08	2"	1	24



Gate Valves



514T




514CLF



514TX



514TP



503T



517T



517C

514

Gate Valve - Full Port - Cast Brass - Solid Wedge

- 125 SWP
- 200 WOG

- Wheel Handle IPS Lead Free Version Available
- Cross Handle IPS Lead Free Version Available

- Crown Handle Only Available in Standard Version
- Wheel Handle CxC Only Available in Lead Free

Model Number

Carton Quantities

WHEEL HANDLE IPS	CROSS HANDLE IPS	CROWN HANDLE IPS	WHEEL HANDLE CxC	SIZE	INNER	MASTER
514T01	-	-	-	1/4"	10	120
514T02	-	-	-	3/8"	10	120
514T03	514T03X	514T03P	514C03LF	1/2"	10	120
514T04	514T04X	514T04P	514C04LF	3/4"	10	80
514T05	514T05X	514T05P	514C05LF	1"	5	60
514T06	514T06X	514T06P	514C06LF	1-1/4"	5	40
514T07	514T07X	514T07P	514C07LF	1-1/2"	5	30
514T08	514T08X	514T08P	514C08LF	2"	2	24
514T09	514T09X	514T09P	514C09LF	2-1/2"	1	10
514T10	514T10X	514T10P	514C10LF	3"	1	6
514T11	514T11X	514T11P	514C11LF	4"	1	4

Replacement handles of each type are available.



503

Gate Valve - Full Port - Bronze - Heavy Pattern

- Lead Free Version Available
- 150 SWP

- 300 WOG
- MSS-SP-80

Model Number

Carton Quantities

IPS ONLY	SIZE	INNER	MASTER
503T03	1/2"	10	100
503T04	3/4"	6	60
503T05	1"	5	40
503T06	1-1/4"	5	30
503T07	1-1/2"	4	24
503T08	2"	4	16
503T09	2-1/2"	2	8
503T10	3"	1	6
503T11	4"	1	4

517

Gate Valve With Drain - Cast Brass - Non Rising Stem

- 125 SWP
- 200 WOG

Model Number

Carton Quantities

IPS	CxC	SIZE	INNER	MASTER
517T03	517C03	1/2"	10	120
-	517C04	3/4"	10	90
517T05	517C05	1"	5	60

Bronze Gate Valves With Federal Specifications



Gate Valve - OS&Y - Rising Stem - Bronze B62

501

- 175 CWP

Model Number		Carton Quantities	
IPS ONLY	SIZE	INNER	MASTER
501T04	3/4"	6	60
501T05	1"	16	48
501T06	1-1/4"	12	36
501T07	1-1/2"	2	8
501T08	2"	1	6



Gate Valve - Federal Specification 54 Class A Type 1- Non Rising Stem - Bronze B62

511

- 150 SWP
- 300 WOG
- MSS-SP-80

Model Number			Carton Quantities	
IPS	CxC	SIZE	INNER	MASTER
511T03	511C03	1/2"	10	80
511T04	511C04	3/4"	10	60
511T05	511C05	1"	5	40
511T06	511C06	1-1/4"	5	30
511T07	511C07	1-1/2"	4	24
511T08	511C08	2"	2	12

Gate Valve - Federal Specification 54 Class A Type 1- Rising Stem - Bronze B62

512

- 150 SWP
- 300 WOG
- MSS-SP-80
- IPS Lead Free Version Available
- CxC Only Available in Standard Version

Model Number		Carton Quantities		
IPS	CxC	SIZE	INNER	MASTER
512T03	512C03	1/2"	1	80
512T04	512C04	3/4"	1	60
512T05	512C05	1"	1	40
512T06	512C06	1-1/4"	1	30
512T07	512C07	1-1/2"	1	24
512T08	512C08	2"	1	12
512T09	-	2-1/2"	1	8
512T10	-	3"	1	4

Gate Valve - Full Port - Heavy-Duty - Non Rising Stem - Bronze B62

513

- Lead Free Version Available
- 125 SWP
- 200 WOG
- MSS-SP-80

Model Number			Carton Quantities		
IPS WHEEL HANDLE	IPS CROSS HANDLE	IPS CURB STOP HANDLE	SIZE	INNER	MASTER
513T04	-	-	3/4"	5	50
513T05	-	-	1"	5	40
513T06	-	-	1-1/4"	4	24
513T07	-	-	1-1/2"	4	24
513T08	513T08X	513T08CS	2"	1	6
-	513T09X	-	2-1/2"	1	10
-	513T10X	-	3"	1	6

Replacement handles of each type are available.


Gate Valves



519T



519TP



730T

519

Gate Valve - Cast Brass - Non Rising Stem

- Lead Free Version Available
- 200 WOG
- With Compression Ends For Copper Tube Pipe

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
519T03	1/2" nominal	10	120
519T04LF	3/4" nominal	10	90
519T05	1" nominal	5	60

519TP

Gate Valve - Cast Brass - Compression With CPVC Stub-Outs

- Lead Free Version Available
- 200 WOG

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
519T03TP	1/2"	12	72
519T04TPLF	3/4"	10	90

730

Quick Opening Gate Valve - Without Spring - Cast Bronze

- 125 SWP
- 200 WOG

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
730T03	1/2"	20	100
730T04	3/4"	20	100
730T05	1"	10	50
730T06	1-1/4"	10	50
730T07	1-1/2"	6	30
730T08	2"	4	20
730T09	2-1/2"	2	12
730T10	3"	2	10
730T11	4"	1	5



Matco-Norca has been the leading supplier of globally sourced, code-compliant Plumbing & PVF products for use in residential and commercial applications for nearly 70 years.

Find your local rep at: MATCO-NORCA.COM



SVF Flow Controls has been a leading manufacturer of valves, actuators & controls for industrial applications for more than 35 years.

Find your local rep at: SVF.NET

WINNING AS ONE!

Two trusted brands.
One reliable source for commercial and industrial needs.

Bronze Y Strainers



145T



145CLF



146LF

Y Strainer - Cast Bronze - With Brass Plug - 20 Mesh Stainless Steel Screen

145

- 150 SWP
- 300 WOG
- MSS-SP-80
- IPS Lead Free Version Available
- CxC Available in Lead Free Only

Model Number		Carton Quantities			
IPS	CxC	SIZE	TAP & PLUG SIZE	INNER	MASTER
145T01	-	1/4"	1/8"	12	48
145T02	-	3/8"	1/8"	12	48
145T03	145C03LF	1/2"	1/4"	12	48
145T04	145C04LF	3/4"	1/4"	8	48
145T05	145C05LF	1"	3/8"	8	32
145T06	145C06LF	1-1/4"	3/8"	8	24
145T07	145C07LF	1-1/2"	1/2"	2	16
145T08	145C08LF	2"	1/2"	2	8
145T09	-	2-1/2"	1-1/4"	1	6
145T10	-	3"	1-1/2"	1	4

Replacement Screens Available.

Lead Free Y Strainer - Brass - Compact

146LF

- Max Working Pressure: 200 PSI
- Working Temperature: 32 - 212°F

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
146T03LF	1/2"	19	96
146T04LF	3/4"	7	84
146T05LF	1"	6	72
146T06LF	1-1/4"	2	24
146T07LF	1-1/2"	2	24

Need Help?

CONTACT US DIRECTLY

1. mail@matco-norca.com
2. (800) 688-2583
3. matco-norca.com/contact us



**MATCO
NORCA**

Swing Check Valves - Brass & Bronze



521T



521CLF



521N



530T

521 Swing Check Valve - Cast Brass - Brass Seat				
• 125 SWP • 200 WOG • IPS Lead Free Version Available				
Model Number			Carton Quantities	
IPS	CxC LEAD FREE ONLY	SIZE	INNER	MASTER
521T02	-	3/8"	12	120
521T03	521C03LF	1/2"	12	120
521T04	521C04LF	3/4"	10	80
521T05	521C05LF	1"	5	60
521T06	521C06LF	1-1/4"	5	40
521T07	521C07LF	1-1/2"	5	30
521T08	521C08LF	2"	2	24
LEAD FREE AVAILABLE				
521T09	521C09	2-1/2"	1	15
521T10	521C10	3"	1	6
521T11	521C11	4"	1	6

521N Swing Check Valve - Cast Brass - BUNA-N Seat			
• Lead Free Version Available • 200 WOG			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
521N02	3/8"	1	120
521N03	1/2"	10	120
521N04	3/4"	10	80
521N05	1"	5	60
521N06	1-1/4"	1	40
521N07	1-1/2"	5	20
521N08	2"	1	24
521N09	2-1/2"	1	15
521N10	3"	1	6
521N11	4"	1	6

530 Swing Check Valve - Cast Bronze B62 - Bronze Disc - Horizontal Pattern				
• 150 SWP • 300 WOG • IPS Lead Free Version Available				
Model Number			Carton Quantities	
IPS	IPS LEAD FREE ONLY	SIZE	INNER	MASTER
530T02	-	3/8"	12	120
	530T03LF	1/2"	12	120
-	530T04LF	3/4"	10	80
-	530T05LF	1"	5	60
-	530T06LF	1-1/4"	5	40
-	530T07LF	1-1/2"	5	30
ONLY AVAILABLE IN STANDARD				
530T09		2-1/2"	1	15
530T10		3"	1	6
530T11		4"	1	6

Check Valves / Foot Valve



532T



525T



527TLF

Swing Check Valve Y Pattern - Bronze B62

532

- 150 SWP
- 300 WOG

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
532T03	1/2"	10	90
532T04	3/4"	10	80
532T05	1"	10	60
532T06	1-1/4"	5	30
532T07	1-1/2"	4	24
532T08	2"	2	16

Inline Check Valve - Spring Loaded - Bronze B62 - 1/2 PSI Crack Pressure

525

- 200 WOG
- IPS Lead Free Version Available
- CxC Available in Lead Free Only

Model Number		Carton Quantities		
IPS	CxC	SIZE	INNER	MASTER
525T03	525C03LF	1/2"	10	100
525T04	525C04LF	3/4"	10	80
525T05	525C05LF	1"	6	60
525T06	525C06LF	1-1/4"	4	40
525T07	525C07LF	1-1/2"	5	30
525T08	525C08LF	2"	5	20

Lead Free Foot Valve - Stainless Steel Screen - Bronze B62

527LF

- 200 WOG

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
527T03LF	1/2"	1	100
527T04LF	3/4"	1	80
527T05LF	1"	1	60
527T06LF	1-1/4"	1	40
527T07LF	1-1/2"	1	30
527T08LF	2"	1	20

Join Our
Email List



PVC Check Valve / Sump Pump Check Valve



523S



523T



529

523	PVC Inline Check Valve - 304 SS Spring - 1/2 PSI Crack Pressure - One Piece			
	• Max 150 PSI @ 122° F			
Model Number			Carton Quantities	
SOLVENT	THREADED	SIZE	INNER	MASTER
523S03	523T03	1/2"	1	120
523S04	523T04	3/4"	1	120
523S05	523T05	1"	1	80
523S06	523T06	1-1/4"	1	60
523S07	523T07	1-1/2"	1	60
523S08	523T08	2"	1	40

529	Sump Pump Check Valve - Flexible Rubber Connections - Stainless Steel Clamps			
	Model Number	Carton Quantities		
		SIZE	INNER	MASTER
	529-0808	2" x 2"	10	50
	529-0706	1-1/2" x 1-1/4"	10	50

NOTES

Vacuum Breaker, Ball Drip Valve & Back Flow Preventers



646AS4



BDVLF



BFP-90LF



DCVLF

Hose Bibb Vacuum Breaker - Brass - With Break-Away Set Screw

646AS

- Lead Free Version Available
- Conforms To ASSE 1011
- 3/4" Hose Connection

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
646AS4	3/4" Brass Finish	12	144
646ASC	3/4" Chrome Plated	12	144



Lead Free Dual Check Back Flow Preventer - Brass

DCVLF

- Conforms to ASSE 1024
- Max 175 PSI @ 140° F

Model Number		Carton Quantities	
IPS	SIZE	INNER	MASTER
DCV-04LF	3/4"	1	24
DCV-05LF	1"	1	24



Lead Free Ball Drip Valve - Brass - Two Piece

BDVLF

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
BDV-03LF	1/2"	10	100
BDV-04LF	3/4"	10	100

Lead Free Back Flow Preventer - Brass - With Atmospheric Vent

BFPLF

- Max 175 PSI @ 250° F

Model Number		Carton Quantities		
IPS	CxC	SIZE	INNER	MASTER
BFP-90-1/2LF	BFP-90-1/2-CLF	1/2" FIP	1	24
BFP-90-3/4LF		3/4" FIP	1	24


HELP US BRIDGE GENDER-PARITY IN THE TRADE INDUSTRY.

GET INVOLVED TODAY.
MARKETING@MATCO-NORCA.COM
MATCO-NORCA.COM/NEWS

MATCO NORCA

PRIDE SUPPORTER OF
Plumbers

Brass Boiler Drains - Full Flow



205F Boiler Drain - 3/4" Hose Outlet - Angle Spout - With Stuffing Box	
• Lead Free Version Available • 125 PSI	
Model Number	Carton Quantities
MIP	INLET INNER MASTER
205F03*	1/2" 12 72
205F04	3/4" 12 72
* 1/2" MIP & 1/2" SWT Inlet	
FIP	
205FF3	1/2" 12 72
205FF4	3/4" 12 72

205CM Boiler Drain - 3/4" Hose Outlet - Angle Spout - With Stuffing Box	
• 125 PSI	
Model Number	Carton Quantities
	INLET INNER MASTER
205CM3	1/2" Male Copper Sweat 12 72
	

214LF Lead Free Boiler Drain - Quarter Turn - 3/4" Hose Outlet	
• 125 PSI	
Model Number	Carton Quantities
MIP	INLET INNER MASTER
214M03LF*	1/2" 10 100
214M04LF	3/4" 10 100
* 1/2" MIP & 1/2" SWT Inlet	
FIP	
214F03LF	1/2" 10 100
214F04LF	3/4" 10 100

205 Boiler Drain - 3/4" Hose Outlet - With Stuffing Box	
• Lead Free Version Available • 125 PSI	
Model Number	Carton Quantities
MIP FIP	INLET INNER MASTER
205TM3*	205TF3 1/2" 12 72
205TM4	205TF4 3/4" 12 72
* 1/2" MIP & 1/2" SWT Inlet	
CTS COMPRESSION WITH NUT & FERRULE	
205TR3	1/2" 12 72

204 Boiler Drain - 3/4" Hose Outlet - Less Stuffing Box	
• Lead Free Version Available • 125 PSI	
Model Number	Carton Quantities
MIP FIP	INLET INNER MASTER
204TM3*	204TF3 1/2" 12 72
204TM4	204TF4 3/4" 12 72
204LS3*	Long Shank 1/2" MIP With Locknut 12 72
* 1/2" MIP & 1/2" SWT Inlet	
	

Stop Valves - Globe Style



201TLF



201CLF



201X



202TLF



202CLF



201AT3



201AC3



201CMPLF

Stop Valve - Globe Style - Brass - Soft Seat

201

- 125 PSI
- IPS and CxC Lead Free Only
- IPS with Cross Handle Lead Free Version Available

Model Number		Carton Quantities		
IPS	CxC	SIZE	INNER	MASTER
201T03LF	201C03LF	1/2"	12	72
201T04LF	201C04LF	3/4"	12	72
IPS WITH CROSS HANDLE				
	201X03	1/2"	12	72
	201X04	3/4"	12	72

Angle Stop Valve - Globe Style - Brass - Soft Seat

201A

- 125 PSI
- Lead Free Version Available

Model Number		Carton Quantities		
		SIZE	INNER	MASTER
	201AT3	1/2" IPS	12	72
	201AC3	1/2" C x C	12	72



Stop & Waste Valve - Globe Style - Brass - Soft Seat

202LF

- 125 PSI

Model Number		Carton Quantities		
IPS	CxC	SIZE	INNER	MASTER
202T03LF	202C03LF	1/2"	12	72
202T04LF	202C04LF	3/4"	12	72



Lead Free Stop & Waste Valve - Brass Nut & Ferrule

201/
202CMPLF

- 125 PSI
- With Compression Ends For Copper Tube Pipe

Model Number		Carton Quantities		
	WITH WASTE CAP	SIZE	INNER	MASTER
201CMPLF	202CMPLF	1/2" nominal	12	72
201CM4LF	202CM4LF	3/4" nominal	12	72



Need Help?

CONTACT US DIRECTLY

1. mail@matco-norca.com
2. (800) 688-2583
3. matco-norca.com/contact us



Aztec Low Pressure Valves / Sillcocks



AZ203TF



AZ205C034



AZ205TF



AZ206C034



AZ206T



AZ206T/VB



AZ206LK



AZ206PXCE

AZ203

Aztec Bent Nose Garden Valve With Stuffing Box - Brass - Graphite Packing

- Lead Free Version Available
- 125 PSI
- 3/4" Hose Outlet

Model Number	Carton Quantities		
	INLET	INNER	MASTER
AZ203TF3	1/2" FIP	12	72
AZ203TF4	3/4" FIP	12	72
AZ203TF5	1" FIP	12	72



AZ206

Aztec Sillcock With Stuffing Box - Brass - Graphite Packing

- Lead Free Version Available
- 125 PSI
- 3/4" Hose Outlet

Model Number		Carton Quantities	
		INNER	MASTER
AZ206C034	3/4" Copper Fitting & 1/2" Copper Sweat	12	72
AZ206T03	1/2" FIP	12	72
AZ206T04	3/4" FIP	12	72



AZ205

Aztec Boiler Drain With Stuffing Box - Brass - Graphite Packing

- Lead Free Version Available
- 3/4" Hose Outlet
- 125 PSI

Model Number		Carton Quantities	
		INNER	MASTER
AZ205C034	3/4" Copper Fitting & 1/2" Copper Sweat	12	72
AZ205TF3	1/2" FIP	12	72
AZ205TF4	3/4" FIP	12	72
AZ205TM3	1/2" MIP	12	72
AZ205TM4	3/4" MIP	12	72



AZ206/VB

Aztec Sillcock With Vacuum Breaker - Brass - Graphite Packing

- Lead Free Version Available
- 3/4" Hose Outlet
- 125 PSI

Model Number		Carton Quantities	
		INNER	MASTER
AZ206T03/VB	1/2" MIP	12	72
AZ206T04/VB	3/4" MIP	12	72



AZ206PXL

Lead Free Aztec PEX Sillcock - Brass - Heavy Duty - Large Flange

- 125 PSI
- 3/4" Hose Outlet

Model Number		Carton Quantities	
		INNER	MASTER
AZ206PX03FLF	1/2" PEX F1807 x 3/4" MIP	4	60



AZ206PXCFL

Lead Free Aztec Cold Expansion PEX Sillcock - Brass - Heavy Duty - Large Flange

- 125 PSI
- 3/4" Hose Outlet

Model Number		Carton Quantities	
		INNER	MASTER
AZ206PXCFL03FLF	1/2" Cold Expansion F1960 PEX x 3/4" MIP	4	60



AZ206/LK

Aztec Sillcock - Loose Key - Brass - Graphite Packing

- Lead Free Version Available
- 125 PSI
- 3/4" Hose Outlet

Model Number		Carton Quantities	
		INNER	MASTER
AZ206T03LK	1/2" FIP	12	72
AZ206T04LK	3/4" FIP	12	72



Aztec Low Pressure Valves / Sillcocks



AZ646R



AZ207C04




AZ207TF



AZ207TR



AZ207TMLK



AZ212

Aztec Hose Bibb With Tee Handle - Graphite Packing

AZ646R

- Lead Free Version Available
- 125 PSI
- 3/4" Hose Outlet

Model Number		Carton Quantities		
	INLET	INNER	MASTER	
AZ646R03	1/2" MIP	12	72	
AZ646R04	3/4" MIP	12	72	



Aztec Loose Key Valve - No Kink - Brass - Graphite Packing

AZ207

- Lead Free Version Available
- 125 PSI
- 3/4" Hose Outlet

Model Number		Carton Quantities		
	INLET	INNER	MASTER	
AZ207TF3LK	1/2" FIP	12	72	
AZ207TF4LK	3/4" FIP	12	72	
AZ207TM3LK	1/2" MIP	12	72	
AZ207TM4LK	3/4" MIP	12	72	

Aztec No Kink Hose Bibb - Brass - Graphite Packing

AZ207

- Lead Free Version Available
- 125 PSI
- 3/4" Hose Outlet

Model Number		Carton Quantities		
	INLET	INNER	MASTER	
AZ207C04	3/4" Copper Fitting and 1/2" Copper Sweat	12	72	
AZ207TF3	1/2" FIP	12	72	
AZ207TF4	3/4" FIP	12	72	
AZ207TM3	1/2" MIP	12	72	
AZ207TM4	3/4" MIP	12	72	
AZ207TR3	1/2" CTS Compression With Nut & Ferrule	12	72	



Lead Free Aztec Frost Free Sillcock - Anti-Siphon - With Self Draining Vacuum Breaker - Brass - Graphite Packing

AZ212LF

- Max. Temperature 160°F
- Max. Pressure 125°F

Model Number		Carton Quantities		
HOSE x 1/2" MIP / 1/2" SOLDER	LENGTH	INNER	MASTER	
AZ212004LF	4"	1	24	
AZ212006LF	6"	1	24	
AZ212008LF	8"	1	24	
AZ212010LF	10"	1	24	
AZ212012LF	12"	1	24	



Lead Free Aztec PEX Frost Free Sillcock - Anti-Siphon - With Self Draining Vacuum Breaker - Brass - Graphite Packing

AZ212PXL

- Max. Temperature 160°F
- Max. Pressure 125°F

Model Number		Carton Quantities		
HOSE x 1/2" MIP / 1/2" SOLDER	LENGTH	INNER	MASTER	
AZ212004PXL	4"	1	24	
AZ212006PXL	6"	1	24	
AZ212008PXL	8"	1	24	
AZ212010PXL	10"	1	24	
AZ212012PXL	12"	1	24	



Lead Free Aztec Cold Expansion PEX Frost Free Sillcock - Anti-Siphon - With Self Draining Vacuum Breaker - Brass - Graphite Packing

AZ212PXCEL

- Max. Temperature 160°F
- Max. Pressure 125°F

Model Number		Carton Quantities		
HOSE x 1/2" MIP / 1/2" SOLDER	LENGTH	INNER	MASTER	
AZ212004PXCEL	4"	1	24	
AZ212006PXCEL	6"	1	24	
AZ212008PXCEL	8"	1	24	
AZ212010PXCEL	10"	1	24	
AZ212012PXCEL	12"	1	24	



Hose Bibbs / Ball Valve Hose Bibbs



646R



646BV



207TM



207TF



207C

646R Hose Bibb - Male - Cast Brass - 3/4" Hose Outlet

- Lead Free Version Available
- 125 PSI

Model Number	Carton Quantities		
	INLET	INNER	MASTER
646R03	1/2" MIP & 1/2" SWT x 3/4" Hose	12	72
646R04	3/4" MIP x 3/4" Hose	12	72
646R05	1" MIP x 1" Hose	12	48
P646R03H	Replacement Handle for 1/2" & 3/4"	1	100

646BV Ball Valve Hose Bibb - Forged Brass - 1/4 Turn - 3/4" Hose Outlet

- Lead Free Version Available
- 125 PSI

Model Number	Carton Quantities		
	INLET	INNER	MASTER
646BV03	1/2" MIP & 1/2" SWT	12	24
646BV04	3/4" MIP	12	24
P646BVC43H	Replacement Handles	1	1000

207 No Kink Hose Bibb - 3/4" Hose Outlet

- Lead Free Version Available
- 125 PSI

Model Number		Carton Quantities	
MIP	INLET	INNER	MASTER
207TM3	1/2"	12	72
207TM4	3/4"	12	72
FIP			
207TF3	1/2"	12	72
207TF4	3/4"	12	72
SWEAT			
207C04	1/2" Sweat & 3/4" Copper Fitting	12	72



Matco-Norca has been the leading supplier of globally sourced, code-compliant Plumbing & PVF products for use in residential and commercial applications for nearly 70 years.

Find your local rep at: MATCO-NORCA.COM



SVF Flow Controls has been a leading manufacturer of valves, actuators & controls for industrial applications for more than 35 years.


Find your local rep at: SVF.NET

WINNING AS ONE!

Two trusted brands.
One reliable source for commercial and industrial needs.




Plumbing Specialty Brass Hose Bibbs



Hose Bibb - Brass - Tee Handles

FY

- Lead Free Version Available
- 125 PSI

Model Number	INLET	Carton Quantities	
		INNER	MASTER
FY-675	Chrome Plated Hose Bibb Plain End Outlet 1/2" FIP Inlet - Flanged	12	72
FY-680	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" FIP Inlet - Flanged	12	72
FY-681	Chrome Plated Hose Bibb Plain End Outlet 1/2" MIP Inlet - Adj. Flange	12	72
FY-682	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" MIP Inlet - Adj. Flange	12	72
FY-685*	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" FIP Inlet	12	72
FY-690	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" MIP Inlet	12	72
FY-691	Chrome Plated Hose Bibb Plain End Outlet 1/2" MIP Inlet	12	72
FY-691PB*	Polished Brass Hose Bibb (not shown) Plain End Outlet 1/2" MIP Inlet	12	72
FY-692	Rough Brass Hose Bibb Plain End Outlet 1/2" MIP Inlet	12	72
FY-695	Chrome Plated Hose Bibb 3/4" Hose End Outlet 3/4" MIP Inlet	12	144

* Only Available in Standard

Brass Sillcocks / Garden Valves



206 Sillcock - 3/4" Hose Outlet - Brass Body

- Lead Free Version Available
- 125 PSI

Model Number		Carton Quantities		
FIP	SWEAT	INLET	INNER	MASTER
206T03	206C03	1/2"	12	72
206T04	206C04	3/4"	12	72

206H Sillcock - Heavy Pattern - 3/4" Hose Outlet - Brass Body - With Stuffing Box

- Lead Free Version Available
- 125 PSI

Model Number		Carton Quantities		
FIP	INLET	INNER	MASTER	
206T03H	1/2" FIP	12	72	
206T04H	3/4" FIP	12	72	



206FLF Lead Free Sillcock - 3/4" Hose Outlet - Brass Body - Large Flange

- 125 PSI

Model Number		Carton Quantities		
FIP	SWEAT	INLET	INNER	MASTER
206T03FLF	206C03FLF	1/2"	4	40
PEX		COLD EXPANSION		
206PX03FLF	206PXCE03FLF	1/2"	6	60

206VB Sillcock - With ASSE 1011 Vacuum Breaker - 3/4" Hose Outlet

- Lead Free Version Available
- 125 PSI

Model Number		Carton Quantities		
FIP	INLET	INNER	MASTER	
206T03VB	1/2" FIP	12	72	

203 Garden Valve - Bent Nose - Female - 3/4" Hose Outlet


- Lead Free Version Available
- 125 PSI

Model Number		Carton Quantities		
BENT NOSE	INLET	INNER	MASTER	
203TF3	1/2" FIP	12	72	
203TF4	3/4" FIP	12	72	
203TF5	1" FIP	12	72	
INVERTED NOSE				
203IF4	3/4" FIP	12	72	
LOOSE KEY				
203TL3	1/2"	12	72	
203TL4	3/4"	12	72	
203TL5	1"	12	72	
KEY ONLY				
203TLK		1	200	



Join Our
Email List

Frost Free Sillcocks



Frost Free Sillcock - 3/4" Hose Outlet

209

• 125 PSI

Model Number		Carton Quantities		
Lead Free Version Available 1/2" MIP & 1/2" SWT INLET	ONLY AVAILABLE IN STANDARD	LENGTH	INNER	MASTER
209004		4"	1	24
209006		6"	1	24
209008		8"	1	24
209010		10"	1	24
209012		12"	1	24
	209014	14"	1	24
WITH LOOSE KEY				
	209008LK	8"	1	24
	209010LK	10"	1	24
	209012LK	12"	1	24
Lead Free Version Available 3/4" MIP & 1/2" FIP INLET	ONLY AVAILABLE IN STANDARD	LENGTH	INNER	MASTER
	209404	4"	1	24
	209406	6"	1	24
	209408	8"	1	24
209410		10"	1	24
209412		12"	1	24
	209414	14"	1	24



Frost Free Sillcock - Pex - 3/4" Hose Outlet

209PX

• 125 PSI

Model Number		Carton Quantities	
1/2" PEX INLET	SIZE	INNER	MASTER
209004PX	4"	1	24
209006PX	6"	1	24
209008PX	8"	1	24
209010PX	10"	1	24
209012PX	12"	1	24



Frost Free Sillcock - Anti Syphon - 3/4" Hose Outlet

212

• Lead Free Version Available
• 125 PSI

Model Number		Carton Quantities	
1/2" MIP & 1/2" SWT INLET	LENGTH	INNER	MASTER
212004	4"	1	24
212006	6"	1	24
212008	8"	1	24
212010	10"	1	24
212012	12"	1	24
212014	14"	1	24

212KIT - Vacuum Breaker Kit Available.



Frost Free Sillcock - Pex - Anti Syphon - 3/4" Hose Outlet

212PX

• Lead Free Version Available
• 125 PSI

Model Number		Carton Quantities	
1/2" PEX INLET	LENGTH	INNER	MASTER
212004PX	4"	1	24
212006PX	6"	1	24
212008PX	8"	1	24
212010PX	10"	1	24
212012PX	12"	1	24
212014PX	14"	1	24



Frost Free Sillcock - Cold Expansion Pex - Anti Syphon - 3/4" Hose Outlet

212PXCELf

• 125 PSI Non-shock

Model Number		Carton Quantities	
1/2" PEX F1960 INLET	LENGTH	INNER	MASTER
212004PXCELf	4"	1	24
212006PXCELf	6"	1	24
212008PXCELf	8"	1	24
212010PXCELf	10"	1	24
212012PXCELf	12"	1	24
212014PXCELf	14"	1	24



Steam Radiator Angle & Gate Valves / Slip Nuts



BARVY



BARVYN



BARV



NT



SGV



BSGV

BARVY		Steam Radiator Angle Valve - Brass - Heavy Pattern	
		• 15 SWP • 60 WOG	
Model Number		Carton Quantities	
		INNER	MASTER
BARVY-0500	1/2" FIP With Nut & Tailpiece	10	60
BARVY-0750	3/4" FIP With Nut & Tailpiece	6	48
BARVY-1000	1" FIP With Nut & Tailpiece	4	36
BARVY-1250	1-1/4" FIP With Nut & Tailpiece	2	24
BARVY-1500	1-1/2" FIP With Nut & Tailpiece	2	16

NT		Slip Nuts - Chrome	
Model Number		Carton Quantities	
		INNER	MASTER
NT-100	1" Nut & Tail Piece For BARVY-1000 & BARV-1000	10	36
NT-125	1-1/4" Nut & Tail Piece For BARVY-1250 & BARV-1250	4	24

SGV		Steam Radiator Gate Valve - Brass	
		• 125 SWP • 600 WOG	
Model Number		Carton Quantities	
		INNER	MASTER
SGV-1001	1" FIP With Nut & Tailpiece	4	36
SGV-1251	1-1/4" FIP With Nut & Tailpiece	4	24

BARVYN		Steam Radiator Angle Valve - Brass	
		• 15 SWP • 60 WOG	
Model Number		Carton Quantities	
		INNER	MASTER
BARVY-1001N	1-1/2" FIP With Nut & Tailpiece	4	36
BARVY-1251N	1-1/4" FIP With Nut & Tailpiece	4	24

BARV		Steam Radiator Angle Valve - Bronze - Heavy Pattern	
		• 15 SWP • 60 WOG	
Model Number		Carton Quantities	
		INNER	MASTER
BARV-0500	1/2" FIP With Nut & Tailpiece	10	60
BARV-0750	3/4" FIP With Nut & Tailpiece	6	48
BARV-1000	1" FIP With Nut & Tailpiece	4	36
BARV-1250	1-1/4" FIP With Nut & Tailpiece	2	24
BARV-1500	1-1/2" FIP With Nut & Tailpiece	2	18
BARV-2000	2" FIP With Nut & Tailpiece	1	8

BSGV		Steam Radiator Gate Valve - Bronze - Heavy Pattern	
		• 125 SWP • 600 WOG	
Model Number		Carton Quantities	
		INNER	MASTER
BSGV-0750	3/4" FIP With Nut & Tailpiece	6	48
BSGV-1000	1" FIP With Nut & Tailpiece	4	36
BSGV-1250	1-1/4" FIP With Nut & Tailpiece	4	24
BSGV-1500	1-1/2" FIP With Nut & Tailpiece	4	24

Radiator Valve & Air Valves / Drain Valve, Convector Valve



Angle Hot Water Radiator Valve - Brass

AHV

- 60 PSI Non-Shock Hot Water
- 15 PSI Steam

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
AHV-0500	1/2" FIP With Nut & Tailpiece	1	60
AHV-0750	3/4" FIP With Nut & Tailpiece	1	60
AHV-1000	1" FIP With Nut & Tailpiece	4	36
AHV-1250	1-1/4" FIP With Nut & Tailpiece	2	24
AHV-0500C	1/2" SWT With Nut & Tailpiece	1	60
AHV-0750C	3/4" SWT With Nut & Tailpiece	1	60

Steam Air Vents - Chrome Plated

HAV

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
HAV-125	1/8" Auto Vent HW & Steam	50	500
HAVA00	1/8" Angle	12	72
HAVADJ00	1/8" Adjustable Angle	12	72
HAVS00	1/8" Straight	12	72
HAVS01	1/4" Straight	12	72
HAVS0403	3/4" x 1/2" Straight	12	72

Water Heater Drain Valve - Brass - Heavy Pattern

205WH

- Lead Free Version Available

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
205WH4	3/4" x 2-1/4" Long 3/4" MIP & 1/2" FIP Inlet	50	500

Coin Key Air Valve

CK/KEY

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
CK-100	1/8" Coin Key Air Valve Nickle Plated	100	1000
CKU-102	1/8" Key Air Valve	100	1000
KEY-100	1/8" Key For Air Valve	100	2000

Chrome Plated Steam Air Valves

AVA/AVS/
ADJ

- 10 PSI

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
AVA-125	1/8" Angle - MIP	12	144
AVS-125	1/8" Straight - MIP	1	144
AVS-250	1/4" Straight - MIP	1	144
AVS-750	3/4" MIP & 1/2 FIP Straight	1	144
ADJ-180	1/8" Angle MIP Adjustable	12	144

Convector Valve - Bronze

BCV

- 15 SWP
- 60 WOG

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
BCV-1000	1" FIP With FIP Union	2	24
BCV-1250	1-1/4" FIP With FIP Union	2	20

Multi-Turn Supply Valves



29LF		Lead Free Supply Valves - Oval Handle With Compression Outlet - Angle	
• 125 PSI			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
29-1001LF	CP 3/8" FIP x 3/8" OD Compression	10	200
29-1003LF	CP 1/2" FIP x 3/8" OD Compression	10	200
29-1003PXLf	CP 1/2" PEX x 3/8" OD Compression	10	200
29-1003BLF	Unplated 1/2" FIP x 3/8" OD Compression	10	200
29-1009LF	CP 1/2" SWT x 3/8" OD Compression	10	200
29-1009BLF	Unplated 1/2" SWT x 3/8" OD Compression	10	200
29-1015LF	CP 1/2"C x 1/4" OD Compression	10	200
29-1015BLF	Unplated 1/2" C x 1/4" OD Compression	10	200
29-1019LF	CP 5/8" OD Compression x 3/8" OD Compression	10	200
29-1019BLF	Unplated 5/8" OD Compression x 3/8" OD Compression	10	200
29-1019CPVCLF	CP 5/8" OD CPVC x 3/8" OD	10	200
			

29LF		Lead Free Supply Valves - Oval Handle With Compression Outlet - Straight	
• 125 PSI			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
29-1002LF	CP 3/8" FIP x 3/8" OD Compression	10	200
29-1004LF	CP 1/2" FIP x 3/8" OD Compression	10	200
29-1004PXLf	CP 1/2" PEX x 3/8" OD Compression	10	200
29-1010LF	CP 1/2" SWT x 3/8" OD Compression	10	200
29-1010BLF	Unplated 1/2" SWT x 3/8" OD Compression	10	200
29-1014LF	CP 5/8" OD Compression x 3/8" OD Compression	10	200
29-1014CPVCLF	CP 5/8" OD CPVC x 3/8" OD Straight Stop	10	200
29-1575LF	CP 5/8" OD Compression x 5/8" OD Compression	10	200
			

Multi-Turn Supply Valves



Lead Free Supply Valves - Oval Handle With Compression Outlet				29LF
• 125 PSI				
Model Number	Carton Quantities			
	SIZE	INNER	MASTER	
<i>With 5" Extension and Bell Escutcheon</i>				
29-1040LF	CP 1/2" SWT x 3/8" OD Compression - Angle	10	100	
29-1041LF	CP 1/2" SWT x 3/8" OD Compression - Straight	10	100	
				

Lead Free Supply Valves - Loose Key With Compression Outlet - Angle				29LF
• 125 PSI				
Model Number	Carton Quantities			
	SIZE	INNER	MASTER	
29-1001LKLF	CP 3/8" FIP x 3/8" OD Compression	10	200	
29-1003LKLF	CP 1/2" FIP x 3/8" OD Compression	10	200	
29-1009LKLF	CP 1/2" C x 3/8" OD Compression	10	200	
				

Lead Free Supply Valves - Oval Handle With Dual Compression Outlet - Angle				29LF
• 125 PSI				
Model Number	Carton Quantities			
	SIZE	INNER	MASTER	
29-2001LF	CP 5/8" OD x 3/8" OD x 3/8" OD	10	200	
29-2001BLF	Unplated 5/8" OD x 3/8" OD x 3/8" OD	10	200	
29-2001PXLF	CP 1/2" PEX x 3/8" OD Compression x 3/8" OD Compression	10	200	
29-2003LF	CP 1/2" FIP x 3/8" OD x 3/8" OD Compression	10	200	
29-2003BLF	Unplated 1/2" FIP x 3/8" OD x 3/8" OD Compression	10	200	
				


Quarter Turn Supply Valves



26LF		Lead Free Supply Valves - With Compression Outlet - Angle	
• 125 PSI			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
26-1001LF	CP 3/8" FIP x 3/8" OD Compression	10	200
26-1003LF	CP 1/2" FIP x 3/8" OD Compression	10	200
26-1003PXLF	CP 1/2" PEX x 3/8" OD Compression	10	200
26-1009LF	CP 1/2" Sweat x 3/8" OD Compression	10	200
26-1009BLF	Unplated 1/2" Sweat x 3/8" OD Compression	10	200
26-1015PXLF	CP 1/2" PEX x 1/4" OD Compression	10	200
26-1019LF	CP 5/8" OD Compression x 3/8" OD Compression	10	200
26-1019BLF	Unplated 5/8" OD Compression x 3/8" OD Compression	10	200
26-1019CPVCLF	CP 5/8" OD CPVC Compression x 3/8" OD Compression	10	200
26-1023LF	CP 5/8" OD x 1/2" OD Compression	10	200
			

26LF		Lead Free Supply Valves - With Compression Outlet - Straight	
• 125 PSI			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
26-1002LF	CP 3/8" FIP x 3/8" OD Compression	10	200
26-1004LF	CP 1/2" FIP x 3/8" OD Compression	10	200
26-1004PXLF	CP 1/2" PEX x 3/8" OD Compression	10	200
26-1010LF	CP 1/2" Sweat x 3/8" OD Compression	10	200
26-1010BLF	Unplated 1/2" Sweat x 3/8" OD Compression	10	200
26-1012PXLF	CP 1/2" PEX x 1/2" PEX	10	200
26-1014LF	CP 5/8" OD Compression x 3/8" OD Compression	10	200
26-1014PVCLF	CP 5/8" OD CPVC Compression x 3/8" OD Compression	10	200
26-1016PXLF	CP 1/2" PEX x 1/4" OD Compression	10	200
			

Quarter Turn Supply Valves



Lead Free Supply Valves - With Compression Outlet - F1960				26LF
• 125 PSI				
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
26-1003PXCELf	CP 1/2" CE PEX x 3/8" OD Compression - Angle	10	200	
26-1015PXCELf	CP 1/2" CE PEX x 1/4" OD Compression - Angle	10	200	
26-1004PXCELf	CP 1/2" CE PEX x 3/8" OD Compression - Straight	10	200	
26-1016PXCELf	CP 1/2" CE PEX x 1/4" OD Compression - Straight	10	200	
				

Lead Free Supply Valves - With Dual Compression Outlet - Angle				26LF
• 125 PSI				
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
26-2001LF	CP 5/8" OD Compression x 3/8" OD Compression	10	200	
26-2001BLF	Unplated 5/8" OD Compression x 3/8" OD Compression	10	200	
26-2009BLF	Unplated 1/2" C x 3/8" OD x 3/8" OD Compression	10	200	
26-2021BLF	Unplated 5/8" OD x 3/8" OD x 1/4" OD Compression	10	200	
				

Lead Free Supply Valves - With Compression Outlet - Press				26LF
• 125 PSI				
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
26-1003PLF	CP 1/2" Press x 3/8" OD Compression - Angle	24	96	
26-1015PLF	CP 1/2" Press x 1/4" OD Compression - Angle	24	96	
26-1004PLF	CP 1/2" Press x 3/8" OD Compression - Straight	24	96	
26-1016PLF	CP 1/2" Press x 1/4" OD Compression - Straight	24	96	

Lead Free Supply Valves - With Compression Outlet				26LF
• 125 PSI				
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
<i>With 5" Extension and Bell Escutcheon</i>				
26-1041LF	CP 1/2" Sweat x 3/8" OD Compression - Angle	10	200	
26-1040LF	CP 1/2" Sweat x 3/8" OD Compression - Straight	10	200	
				

Lead Free Supply Valves - With Compression Outlet - Straight				25LF
• 125 PSI				
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
25-2000LF	CP Retro-Fit 3/8" OD Captured Nut x 3/8" OD Compression	10	200	
				


Miscellaneous: Float Valve, Float Rod, Evaporator Cooler Float Valve, Meter Valve



FV



FR12



EFV-01



434-0404LF



434-0404DLF


FV	Float Valve - Bronze			
Model Number		Carton Quantities		
STRAIGHT THREAD MALE INLET - PLAIN OUTLET		ROD SIZE	INNER	MASTER
FV-303P	1/2"	1/4" x 20"	12	72
FV-404P	3/4"	1/4" x 20"	6	36
STRAIGHT THREAD MALE INLET - STRAIGHT THREAD MALE OUTLET				
FV-303	1/2"	1/4" x 20"	1	72
FV-404	3/4"	1/4" x 20"	6	48
FEMALE INLET - PLAIN OUTLET				
FV-505	1"	5/16" x 18"	4	36
FV-606	1-1/4"	3/8" x 16"	2	20
FV-707	1-1/2"	3/8" x 16"	2	16
FV-808	2"	3/8" x 16"	2	12

EFV	Evaporator Cooler Float Valve		
Model Number		Carton Quantities	
		INNER	MASTER
EFV-01	1/4" Compression Inlet x 1/4" FIP Outlet	20	80

FR	Float Rod - Brass			
Model Number		Carton Quantities		
	LENGTH	THREAD PATTERN	INNER	MASTER
FR12-1	12"	1/4" - 20	5	500
FR12-15	12"	5/16" - 18	5	250
FR12-2	12"	3/8" - 16	1	200

434LF	Lead Free Meter Valve - Brass		
Model Number		Carton Quantities	
ANGLE VALVE - FLARE x IPS		INNER	MASTER
434-0403LF	3/4" FL x 1/2" IPS	6	36
434-0404LF	3/4" FL x 3/4" IPS	6	36
434-0504LF	1" FL x 3/4" IPS	6	24
ANGLE VALVE WITH DRAIN - FLARE x IPS			
434-0404DLF	3/4" FL x 3/4" IPS	6	36
434-0505DLF	1" FL x 1" IPS	4	24

Miscellaneous: Oil Tank Valve, Oil Barrel Faucet, Balancing Valves, Flange Kits



Oil Tank Valve - Brass - Hard Seat

OTV

- 125 PSI

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
OTV-100	1/2" MIP x 3/8" MIP	6	72
OTV-200	1/2" MIP x 3/8" FL	1	72

Ball Style Balancing Valve

759SDS

- Lead Free Version Available
- 600 WOG

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
759C04SDS	3/4" C x C With Screwdriver Stop	10	60

Tankless Water Heater Isolation Valve Kit

TWHK

- 600# Rating (Non Shock)
- Full Port, 1/4 Turn Design
- Includes Pressure Relief Valve, One Cold Coded Valve, & One Hot Coded Valve

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
TWHK04T	3/4" IPS Ball Valve With Union Connection	1	16

Oil Barrel Faucet - Locking Lever

59

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
59DB04	3/4" MIP x Plain Spout - Zamac	10	100

Circulator Flange Kits - Cast Iron - With Bolts & Nuts

CIF

- Complete with 2 Flanges, 4 Bolts, 4 Nuts

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
CIF04	3/4"	1	30
CIF05	1"	1	30
CIF06	1-1/4"	1	30

HELP US BRIDGE GENDER-PARITY IN THE TRADE INDUSTRY.

GET INVOLVED TODAY.
MARKETING@MATCO-NORCA.COM
MATCO-NORCA.COM/NEWS

Carbon, Cast & Stainless Steel Valves



Forged Carbon & Stainless Steel Valves



One & Two Piece Threaded Ball Valves



15SSTH



20SSTH



25SSTH



25CSTH

15SSTH One Piece Reduced Port 316 Stainless Steel Ball Valves - NPT

- W.P. 1000 WOG
- W.T. 4 ° F - 392 ° F
- Blow Out Proof Stem
- Locking Handle

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
15SSTH01	1/4"	20	160
15SSTH02	3/8"	20	160
15SSTH03	1/2"	20	160
15SSTH04	3/4"	10	80
15SSTH05	1"	7	56
15SSTH06	1-1/4"	4	32
15SSTH07	1-1/2"	2	16
15SSTH08	2"	2	16

20SSTH Two Piece Full Port 316 Stainless Steel Ball Valves - NPT

- W.P. 1000 WOG
- W.T. 4 ° F - 392 ° F
- Blow Out Proof Stem
- Locking Handle

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
20SSTH01M	1/4"	20	80
20SSTH02M	3/8"	20	80
20SSTH03M	1/2"	18	72
20SSTH04M	3/4"	12	48
20SSTH05M	1"	10	40
20SSTH06M	1-1/4"	6	24
20SSTH07M	1-1/2"	4	16
20SSTH08M	2"	3	12
20SSTH09M	2-1/2"	1	4
20SSTH10M	3"	1	1

25SSTH Two Piece Reduced Port 316 Stainless Steel Ball Valves - NPT

- W.P. 1/4" - 1" 2000 WOG
- W.T. 4 ° F - 392 ° F
- W.P. 1-1/4" - 2" 1500 WOG
- Locking Handle
- Blow Out Proof Stem

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
25SSTH01M	1/4"	20	80
25SSTH02M	3/8"	20	80
25SSTH03M	1/2"	20	80
25SSTH04M	3/4"	12	48
25SSTH05M	1"	10	40
25SSTH06M	1-1/4"	5	20
25SSTH07M	1-1/2"	4	16
25SSTH08M	2"	2	8

25CSTH Two Piece Reduced Port Carbon Steel Ball Valves - NPT

- W.P. 1/4" - 1" 2000 WOG
- W.T. 4 ° F - 392 ° F
- W.P. 1-1/4" - 2" 1500 WOG
- Locking Handle
- Blow Out Proof Stem

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
25CSTH01M	1/4"	20	80
25CSTH02M	3/8"	20	80
25CSTH03M	1/2"	20	80
25CSTH04M	3/4"	12	48
25CSTH05M	1"	10	40
25CSTH06M	1-1/4"	5	20
25CSTH07M	1-1/2"	4	16
25CSTH08M	2"	2	8

26SSTHM Two Piece Full Port 316 Stainless Steel Ball Valves - NPT

- W.P. 2000 WOG
- Vinyl Grip Handle
- Blow Out Proof Stem

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
26SSTH01M	1/4"	25	125
26SSTH02M	3/8"	25	125
26SSTH03M	1/2"	25	125
26SSTH04M	3/4"	15	60
26SSTH05M	1"	8	32
26SSTH06M	1-1/4"	5	20
26SSTH07M	1-1/2"	3	15
26SSTH08M	2"	2	8

26CSTHM Two Piece Full Port Carbon Steel Ball Valves - NPT

- W.P. 2000 WOG
- Vinyl Grip Handle
- Blow Out Proof Stem

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
26CSTH01M	1/4"	25	125
26CSTH02M	3/8"	25	125
26CSTH03M	1/2"	25	125
26CSTH04M	3/4"	15	60
26CSTH05M	1"	8	32
26CSTH06M	1-1/4"	5	20
26CSTH07M	1-1/2"	3	15
26CSTH08M	2"	2	8

Two & Three Piece Ball Valves



759LH



30CSTH



30CSSW

Two Piece Full Port Forged Brass Ball Valves - NPT			759LH
• W.P. 600 WOG		• Locking Handle	
• Blow Out Proof Stem			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
759T01LHLF	1/4"	15	120
759T02LHLF	3/8"	15	120
759T03LHLF	1/2"	15	120
759T04LHLF	3/4"	10	60
759T05LHLF	1"	8	48
759T06LHLF	1-1/4"	4	24
759T07LHLF	1-1/2"	2	24
759T08LHLF	2"	2	12
759T09LHLF	2-1/2"	2	6
759T10LHLF	3"	2	4
759T11LHLF	4"	1	2

Three Piece Full Port Carbon Steel Ball Valves - NPT			30CSTH
• W.P. 1000 WOG • Blow Out Proof Stem		• W.T. 4" F - 392 ° F • Locking Handle	
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
30CSTH01	1/4"	10	40
30CSTH02	3/8"	10	40
30CSTH03	1/2"	8	32
30CSTH04	3/4"	6	24
30CSTH05	1"	4	16
30CSTH06	1-1/4"	3	12
30CSTH07	1-1/2"	2	8
30CSTH08	2"	1	4
30CSTH09	2-1/2"	1	1
30CSTH10	3"	1	1
30CSTH11	4"	1	1

Three Piece Full Port Carbon Steel Ball Valves - SW			30CSSW
• W.P. 1000 WOG • Blow Out Proof Stem		• W.T. 4 ° F - 392 ° F • Locking Handle	
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
30CSSW01	1/4"	10	40
30CSSW02	3/8"	10	40
30CSSW03	1/2"	8	32
30CSSW04	3/4"	6	24
30CSSW05	1"	4	16
30CSSW06	1-1/4"	3	12
30CSSW07	1-1/2"	2	8
30CSSW08	2"	1	4
30CSSW09	2-1/2"	1	1
30CSSW10	3"	1	1
30CSSW11	4"	1	1

Three Piece & Flanged Ball Valves



30SSTH



30SSSW



20CSFLD



20SSFLD

30SSTH Three Piece Full Port 316 Stainless Steel Ball Valves - NPT

- W.P. 1000 WOG
- W.T. 4 ° F - 392 ° F
- Blow Out Proof Stem
- Locking Handle

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
30SSTH01	1/4"	10	40
30SSTH02	3/8"	10	40
30SSTH03	1/2"	8	32
30SSTH04	3/4"	6	24
30SSTH05	1"	4	16
30SSTH06	1-1/4"	3	12
30SSTH07	1-1/2"	2	8
30SSTH08	2"	2	4
30SSTH09	2-1/2"	1	1
30SSTH10	3"	1	1
30SSTH11	4"	1	1

30SSSW Three Piece Full Port 316 Stainless Steel Ball Valves - SW

- W.P. 1000 WOG
- W.T. 4 ° F - 392 ° F
- Blow Out Proof Stem
- Locking Handle

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
30SSSW01	1/4"	20	80
30SSSW02	3/8"	20	80
30SSSW03	1/2"	18	72
30SSSW04	3/4"	12	48
30SSSW05	1"	10	40
30SSSW06	1-1/4"	6	24
30SSSW07	1-1/2"	4	16
30SSSW08	2"	3	12
30SSSW09	2-1/2"	1	4
30SSSW10	3"	1	1
30SSSW11	4"	1	1

20CSFLD Two Piece Full Port Flanged Carbon Steel Ball Valves

- W.P. ANSI Class 150
- W.T. 4 ° F - 392 ° F
- ASME B16.34
- Locking Handle
- Blow Out Proof Stem

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
20CSFL05D	1"	6	12
20CSFL07D	1-1/2"	4	8
20CSFL08D	2"	2	4
20CSFL09D	2-1/2"	1	2
20CSFL10D	3"	1	2
20CSFL11D	4"	1	2
20CSFL13D	6"	1	1

20SSFLD Two Piece Full Port Flanged 316 Stainless Steel Ball Valves

- W.P. ANSI Class 150
- W.T. 4 ° F - 392 ° F
- ASME B16.34
- Locking Handle
- Blow Out Proof Stem

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
20SSFL05D	1"	6	12
20SSFL07D	1-1/2"	4	8
20SSFL08D	2"	2	4
20SSFL09D	2-1/2"	1	2
20SSFL10D	3"	1	2
20SSFL11D	4"	1	2
20SSFL13D	6"	1	1



Forged Gate Valves



500FCT



500FCW



500FSST



500FSSW

Forged Carbon Steel Gate Valves - Reduced Port - Class 800 - NPT

500FCT

- ASTM A105
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
500FCT01	1/4"	1	10
500FCT02	3/8"	1	10
500FCT03	1/2"	1	10
500FCT04	3/4"	1	9
500FCT05	1"	1	5
500FCT06	1-1/4"	1	4
500FCT07	1-1/2"	1	3
500FCT08	2"	1	2

Forged Carbon Steel Gate Valves - Reduced Port - Class 800 - SW

500FCW

- ASTM A105
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
500FCW01	1/4"	1	10
500FCW02	3/8"	1	10
500FCW03	1/2"	1	10
500FCW04	3/4"	1	9
500FCW05	1"	1	5
500FCW06	1-1/4"	1	4
500FCW07	1-1/2"	1	3
500FCW08	2"	1	2

Forged Stainless Steel Gate Valves - Reduced Port - Class 800 - NPT

500FSST

- ASTM A182/316L
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
500FSST03	1/2"	1	10
500FSST04	3/4"	1	9
500FSST05	1"	1	5
500FSST06	1-1/4"	1	4
500FSST07	1-1/2"	1	3
500FSST08	2"	1	2

Forged Stainless Steel Gate Valves - Reduced Port - Class 800 - SW

500FSSW

- ASTM A182/316L
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
500FSSW03	1/2"	1	10
500FSSW04	3/4"	1	9
500FSSW05	1"	1	5
500FSSW06	1-1/4"	1	4
500FSSW07	1-1/2"	1	3
500FSSW08	2"	1	2

Forged Globe Valves



505FCT



505FCW

505FCT Forged Carbon Steel Globe Valves - Reduced Port - Class 800 - NPT			
• ASTM A105 • Maximum Pressure 1975 PSI • Bolted Bonnet • API 602 • Maximum Temperature 850 ° F • NACE MR-0175			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
505FCT01	1/4"	1	10
505FCT02	3/8"	1	10
505FCT03	1/2"	1	10
505FCT04	3/4"	1	9
505FCT05	1"	1	5
505FCT06	1-1/4"	1	4
505FCT07	1-1/2"	1	3
505FCT08	2"	1	2

505FCW Forged Carbon Steel Globe Valves - Reduced Port - Class 800 - SW			
• ASTM A105 • Maximum Pressure 1975 PSI • Bolted Bonnet • API 602 • Maximum Temperature 850 ° F • NACE MR-0175			
Model Number		Carton Quantities	
	SIZE	INNER	MASTER
505FCW01	1/4"	1	10
505FCW02	3/8"	1	10
505FCW03	1/2"	1	10
505FCW04	3/4"	1	9
505FCW05	1"	1	5
505FCW06	1-1/4"	1	4
505FCW07	1-1/2"	1	3
505FCW08	2"	1	2

Need Help?

CONTACT US DIRECTLY

1. mail@matco-norca.com
2. (800) 688-2583
3. [matco-norca.com/contact us](http://matco-norca.com/contact-us)



HELP US BRIDGE GENDER-PARITY IN THE TRADE INDUSTRY.



Forged Globe Valves



505FSST



505FSSW

Forged Stainless Steel Globe Valves - Reduced Port - Class 800 - NPT

505FSST

- ASTM A182/316L
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
505FSST03	1/2"	1	10
505FSST04	3/4"	1	9
505FSST05	1"	1	5
505FSST06	1-1/4"	1	4
505FSST07	1-1/2"	1	3
505FSST08	2"	1	2

Forged Stainless Steel Globe Valves - Reduced Port - Class 800 - SW

505FSSW

- ASTM A182/316L
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 °F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
505FSSW03	1/2"	1	10
505FSSW04	3/4"	1	9
505FSSW05	1"	1	5
505FSSW06	1-1/4"	1	4
505FSSW07	1-1/2"	1	3
505FSSW08	2"	1	2

NOTES

Forged Check Valves



520FCT



520FCW



522FCT

520FCT		Forged Carbon Steel Swing Check Valves - Reduced Port - Class 800 - NPT		
• ASTM A105 • Maximum Pressure 1975 PSI • Bolted Bonnet		• API 602 • Maximum Temperature 850 ° F • NACE MR-0175		
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
520FCT03	1/2"	1	10	
520FCT04	3/4"	1	9	
522FCT05	1"	1	5	
522FCT06	1-1/4"	1	4	
522FCT07	1-1/2"	1	3	
522FCT08	2"	1	2	

520FCW		Forged Carbon Steel Swing Check Valves - Reduced Port - Class 800 - SW		
• ASTM A105 • Maximum Pressure 1975 PSI • Bolted Bonnet		• API 602 • Maximum Temperature 850 ° F • NACE MR-0175		
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
520FCW03	1/2"	1	10	
520FCW04	3/4"	1	9	
522FCW05	1"	1	5	
522FCW06	1-1/4"	1	4	
522FCW07	1-1/2"	1	3	
522FCW08	2"	1	2	

522FCT		Forged Carbon Steel Check Valves - Reduced Port - Class 800 - NPT		
• ASTM A105 • Maximum Pressure 1975 PSI • Bolted Bonnet		• API 602 • Maximum Temperature 850 ° F • NACE MR-0175		
Model Number		Carton Quantities		
	SIZE	INNER	MASTER	
522FCT01	1/4"	1	10	
522FCT02	3/8"	1	10	
522FCT03	1/2"	1	10	
522FCT04	3/4"	1	9	
522FCT05	1"	1	5	
522FCT06	1-1/4"	1	4	
522FCT07	1-1/2"	1	3	
522FCT08	2"	1	2	



Forged Check Valves



522FCW



522FSST



522FSSW

Forged Carbon Steel Check Valves - Reduced Port - Class 800 - SW 522FCW

- ASTM A105
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
522FCW01	1/4"	1	10
522FCW02	3/8"	1	10
522FCW03	1/2"	1	10
522FCW04	3/4"	1	9
522FCW05	1"	1	5
522FCW06	1-1/4"	1	4
522FCW07	1-1/2"	1	3
522FCW08	2"	1	2

Forged Stainless Steel Check Valves - Reduced Port - Class 800 - NPT 522FSST

- ASTM A182/316L
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
522FSST03	1/2"	1	10
522FSST04	3/4"	1	9
522FSST05	1"	1	5
522FSST06	1-1/4"	1	4
522FSST07	1-1/2"	1	3
522FSST08	2"	1	2

Forged Stainless Steel Check Valves - Reduced Port - Class 800 - SW 522FSSW

- ASTM A182/316L
- Maximum Pressure 1975 PSI
- Bolted Bonnet
- API 602
- Maximum Temperature 850 ° F
- NACE MR-0175

Model Number		Carton Quantities	
	SIZE	INNER	MASTER
522FSSW03	1/2"	1	10
522FSSW04	3/4"	1	9
522FSSW05	1"	1	5
522FSSW06	1-1/4"	1	4
522FSSW07	1-1/2"	1	3
522FSSW08	2"	1	2

Cast Steel Gate, Globe & Check Valves



400CSF



405CSF



422CSF

400CSF Flanged Cast Steel Gate Valve - Full Port - 150LB.

- Maximum Pressure 285 PSI
- ASTM A216 WCB
- Outside Screw & Yoke
- Maximum Temperature 1000 ° F
- Bolted Bonnet
- API 600

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
400CSF08	2"	1	50
400CSF09	2-1/2"	1	40
400CSF10	3"	1	32
400CSF11	4"	1	20
400CSF13	6"	1	16
400CSF14	8"	1	6
400CSF15	10"	1	4
400CSF16	12"	1	4

405CSF Flanged Cast Steel Globe Valve - Full Port - 150LB.

- Maximum Pressure 285 PSI
- ASTM A216 WCB
- Outside Screw & Yoke
- Maximum Temperature 1000 ° F
- Bolted Bonnet

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
405CSF08	2"	1	50
405CSF09	2-1/2"	1	40
405CSF10	3"	1	32
405CSF11	4"	1	24
405CSF13	6"	1	9
405CSF14	8"	1	4
405CSF15	10"	1	4
405CSF16	12"	1	2

422CSF Flanged Cast Steel Swing Check Valve - Full Port - 150LB.

- Maximum Pressure 285 PSI
- ASTM A216 WCB
- Maximum Temperature 1000 ° F
- Bolted Bonnet

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
422CSF08	2"	1	60
422CSF09	2-1/2"	1	60
422CSF10	3"	1	45
422CSF11	4"	1	24
422CSF13	6"	1	12
422CSF14	8"	1	6
422CSF15	10"	1	3
422CSF16	12"	1	2



316 Stainless Steel - Valves & Y Strainers



40SSTH



50SSTH



60SSTH



70SSTH

316 Stainless Steel Gate Valve - 200 PSI - NRS - NPT

40SSTH

• W.P. 200 WOG

• Maximum Temperature 392 ° F

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
40SSTH03	1/2"	30	60
40SSTH04	3/4"	25	50
40SSTH05	1"	20	40
40SSTH06	1-1/4"	15	30
40SSTH07	1-1/2"	10	20
40SSTH08	2"	5	10

316 Stainless Steel Globe Valve - 200 PSI - NRS - NPT

50SSTH

• W.P. 200 WOG

• Maximum Temperature 392 ° F

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
50SSTH03	1/2"	40	80
50SSTH04	3/4"	30	60
50SSTH05	1"	20	40
50SSTH06	1-1/4"	15	30
50SSTH07	1-1/2"	10	20
50SSTH08	2"	6	12

316 Stainless Steel Swing Check Valve - 200 PSI - NPT

60SSTH

• W.P. 200 WOG

• Maximum Temperature 392 ° F

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
60SSTH03	1/2"	25	50
60SSTH04	3/4"	16	32
60SSTH05	1"	12	24
60SSTH06	1-1/4"	9	18
60SSTH07	1-1/2"	10	20
60SSTH08	2"	8	16

316 Stainless Steel Y Strainer - NPT

70SSTH

• W.P. 800 WOG

• 40 Mesh Screen

• Maximum Temperature 392 ° F

Model Number	Carton Quantities		
	SIZE	INNER	MASTER
70SSTH03	1/2"	30	60
70SSTH04	3/4"	25	50
70SSTH05	1"	16	32
70SSTH06	1-1/4"	10	20
70SSTH07	1-1/2"	12	24
70SSTH08	2"	5	10

Direct Mount Packages



BEV99



EZ99

BEV99 Automated Ball Valve Packages

BEV99 Series Ball Valve

- Pressure Rated for 1000 WOG
- Complete 316 Stainless Steel Construction
- FNPT End Connections
- PTFE Seats and Seals
- Full Ported

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
1/2"	BEV99BNB0NN005	BEV99BNB0NN005
3/4"	BEV99BNB0NN007	BEV99BNB0NN007
1"	BEV99BNB0NN010	BEV99BNB0NN010
1-1/2"	BEV99CNB0NN015	BEV99CNB0NN015
2"	BEV99DNB0NN020	BEV99CNB0NN020

SPRING RETURN ACTUATOR PACKAGE

1/2"	BEV99CAB0NN05	BEV99CDB0NN005
3/4"	BEV99CAB0NN07	BEV99CDB0NN007
1"	BEV99DAB0NN10	BEV99CDB0NN010
1-1/2"	BEV99FAB1NN15	BEV99EDB0NN015
2"	BEV99FAB0NN20	BEV99FDB0NN020

EZ99 Automated Ball Valve Packages

EZ99 Series Ball Valve

- Pressure Rated for 1000 WOG
- Complete 316 Stainless Steel Construction
- FNPT End Connections
- PTFE Seats and Seals
- Full Ported

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
1/4"	EZ991ANB0NN002	EZ991ANB0NN002
3/8"	EZ991BNB0NN003	EZ991ANB0NN003
1/2"	EZ991BNB0NN005	EZ991BNB0NN005
3/4"	EZ991BNB0NN007	EZ991BNB0NN007
1"	EZ991BNB0NN010	EZ991BNB0NN010
1-1/4"	EZ991CNB0NN012	EZ991CNB0NN012
1-1/2"	EZ991CNB0NN015	EZ991CNB0NN015
2"	EZ991DNB0NN020	EZ991CNB0NN020
3"	EZ991ENB0NN030	EZ991ENB0NN030
4"	EZ991ENB0NN040	EZ991ENB0NN040

SPRING RETURN ACTUATOR PACKAGE

1/4"	EZ991BAB0NN002	EZ991BDB0NN002
3/8"	EZ991BAB0NN003	EZ991BDB0NN003
1/2"	EZ991CAB0NN005	EZ991BDB0NN005
3/4"	EZ991CAB0NN007	EZ991CDB0NN007
1"	EZ991DAB0NN010	EZ991CDB0NN010
1-1/4"	EZ991EAB0NN012	EZ991DDB0NN012
1-1/2"	EZ991FAB0NN015	EZ991EDB0NN015
2"	EZ991FAB0NN020	EZ991FDB0NN020
3"	EZ991ENB0NN030	EZ991ENB0NN030
4"	EZ991ENB0NN040	EZ991ENB0NN040





BZ99



SB99

Automated Ball Valve Packages

BZ99

BZ99 Series Ball Valve

- Pressure Rated for 600 PSI
- Bronze Body (Not for Potable Water Use)
- 316SS Ball and Stem
- FNPT End Connections
- PTFE Seats and Seals

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
1/2"	BZ99XANB0NN005	BZ99XANB0NN005
3/4"	BZ99XBNB0NN007	BZ99XBNB0NN007
1"	BZ99XBNB0NN010	BZ99XBNB0NN010
1-1/2"	BZ99XCNB0NN015	BZ99XCNB0NN015
2"	BZ99XCNB0NN020	BEV99CNB0NN020

SPRING RETURN ACTUATOR PACKAGE

1/2"	BZ99XBAB0NN005	BZ99XBDB0NN005
3/4"	BZ99XCAB0NN007	BZ99XBDB0NN007
1"	BZ99XDAB0NN010	BZ99XCDB0NN010
1-1/2"	BZ99XEAB0NN015	BZ99XEDB0NN015
2"	BZ99XFAB0NN020	BZ99XEDB0NN020

Automated Ball Valve Packages

SB99

SB99 Series Ball Valve

- 316SS Construction
- Tri-Clamp End Connections
- Interior Finish of 20RA
- PTFE Seats and Seals
- Silicon Free
- Ideal for Food & Beverage

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
1/2"	SB99BNB0NN005	SB99ANB0NN005
3/4"	SB99BNB0NN007	SB99ANB0NN007
1"	SB99BNB0NN010	SB99BNB0NN010
1-1/2"	SB99CNB0NN015	SB99BNB0NN015
2"	SB99CNB0NN020	SB99BNB0NN020
2-1/2"	SB99DNB0NN025	SB99DNB0NN025
3"	SB99ENB0NN030	SB99ENB0NN030
4"	SB99FNB0NN040	SB99ENB0NN040

SPRING RETURN ACTUATOR PACKAGE

1/2"	SB99BAB0NN005	SB99BDB0NN005
3/4"	SB99BAB0NN007	SB99BDB0NN007
1"	SB99CAB0NN010	SB99CDB0NN010
1-1/2"	SB99DAB0NN015	SB99DDB0NN015
2"	SB99EAB0NN020	SB99EDB0NN020
2-1/2"	SB99GAB0NN025	SB99FDB0NN025
3"	SB99HAB0NN030	SB99HDB0NN030
4"	SB99HAB0NN040	SB99HDB0NN040

Direct Mount Packages



B41C



MB51

B41C Automated Ball Valve Packages

B41C Series Ball Valve

- Standard Fire Safe Certification to API 607 Anti-static
- ANSI 150# Flanged, Full Port
- Complete 316 Stainless Steel Construction
- TFM1600 Seat Material With Live-loaded Stem Packing Ensuring Seal-tight Pressure Containment Even Under Thermal Cycling

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
1/2"	B41C9BNB0NN005	B41C9BNB0NN005
3/4"	B41C9BNB0NN007	B41C9BNB0NN007
1"	B41C9BNB0NN010	B41C9BNB0NN010
1-1/2"	B41C9CNB0NN015	B41C9CNB0NN015
2"	B41C9DNB0NN020	B41C9DNB0NN020
2-1/2"	B41C9ENB0NN025	B41C9ENB0NN025
3"	B41C9GNB0NN030	B41C9GNB0NN030
4"	B41C9HNB0NN040	B41C9HNB0NN040
6"	B41C9JNB0NN060	B41C9JNB0NN060
8"	B41C9KNB0NN080	B41C9KNB0NN080

SPRING RETURN ACTUATOR PACKAGE

1/2"	B41C9CAB0NN005	B41C9BDB0NN005
3/4"	B41C9CAB0NN007	B41C9CDB0NN007
1"	B41C9DAB0NN010	B41C9DDB0NN010
1-1/2"	B41C9FAB0NN015	B41C9EDB0NN015
2"	B41C9GAB0NN020	B41C9FDB0NN020
2-1/2"	B41C9HAB0NN025	B41C9HDB0NN025
3"	B41C9IAB0NN030	B41C9IDB0NN030
4"	B41C9JAB0NN040	B41C9JDB0NN040
6"	B41C9MAB0NN060	B41C9LDB0NN060
8"	B41C9MAB0NN080	B41C9MDB0NN080

MB51 Automated Ball Valve Packages

MB51 Series Ball Valve

- Multi-Ported
- L-Port and T-Port Flow Paths
- 316SS Construction
- Full Port
- ANSI 150#
- Positive Shut-off on Any of the Three Ports

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
1"	MB519XCNB0NN010	MB519XBNB0NN010
1-1/2"	MB519XDNB0NN015	MB519XCNB0NN015
2"	MB519XENB0NN020	MB519XDNB0NN020
2-1/2"	MB519XENB0NN025	MB519XENB0NN025
3"	MB519XFNB0NN030	MB519XFNB0NN030
4"	MB519XHNB0NN040	MB519XGNB0NN040

SPRING RETURN ACTUATOR PACKAGE

1"	MB519XDAB0NN010	MB519XDDB0NN010
1-1/2"	MB519XFAB0NN015	MB519XFDB0NN015
2"	MB519XHAB0NN020	MB519XGDB0NN020
2-1/2"	MB519XHAB0NN025	MB519XHAB0NN025
3"	MB519XIAB0NN030	MB519XIDB0NN030
4"	MB519XJAB0NN040	MB519XIDB0NN040



Direct Mount Packages



MZ99



SB99

StreamLine

Automated Ball Valve Packages

MZ99

MZ99 Series Ball Valve

- Pressure Rated for 1000 WOG
- Complete 316 Stainless Steel Construction
- FNPT End Connections
- Positive Shut-off on Any of the Three Ports
- PTFE Seats and Seals
- Full Ported

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
1/2"	BZ99XANB0NN005	BZ99XANB0NN005
3/4"	BZ99XBNB0NN007	BZ99XBNB0NN007
1"	BZ99XBNB0NN010	BZ99XBNB0NN010
1-1/2"	BZ99XCNB0NN015	BZ99XCNB0NN015
2"	BZ99XCNB0NN020	BEV99CNB0NN020

SPRING RETURN ACTUATOR PACKAGE

1/2"	BZ99XBAB0NN005	BZ99XBDB0NN005
3/4"	BZ99XCAB0NN007	BZ99XBDB0NN007
1"	BZ99XDAB0NN010	BZ99XCDB0NN010
1-1/2"	BZ99XEAB0NN015	BZ99XEDB0NN015
2"	BZ99XFAB0NN020	BZ99XEDB0NN020

Automated Ball Valve Packages

SL9

SL9 Series Ball Valve

- Available with EPDM or BUNA Seats
- Wafer or Lug Body
- ANSI 150# Body Style

EZ-Tork Actuator

- High Performance Pneumatic Actuator
- Double Acting and Spring Return
- ISO-5211 Standard

DOUBLE ACTING ACTUATOR PACKAGE

SIZE	60 PSI	80 PSI
2"	SL9XXBNB0NN020	SL9XXBNB0NN020
2-1/2"	SL9XXBNB0NN025	SL9XXBNB0NN025
3"	SL9XXCNB0NN030	SL9XXCNB0NN030
4"	SL9XXD-NB0NN040	SL9XXCNB0NN040
6"	SL9XXFNB0NN060	SL9XXFNB0NN060
8"	SL9XXHNB0NN080	SL9XXHNB0NN080
10"	SL9XXINB0NN100	SL9XXHNA0NN100
12"	SL9XXJNB0NN120	SL9XXINB0NN120

SPRING RETURN ACTUATOR PACKAGE

2"	SL9XXDAB0NN020	SL9XXCDB0NN020
2-1/2"	SL9XXDAB0NN025	SL9XXCDB0NN025
3"	SL9XXEAB0NN030	SL9XXDDB0NN030
4"	SL9XXFAB0NN040	SL9XXFDB0NN040
6"	SL9XXIAB0NN060	SL9XXHDB0NN060
8"	SL9XXJAB0NN080	SL9XXJDB0NN080
10"	SL9XXKAB0NN100	SL9XXKDB0NN100
12"	SL9XXLAB0NN120	SL9XXLDB0NN120



Cast & Ductile Iron Valves



Butterfly Valves & Accessories



Ductile Iron Gate Valves

Resilient Wedge - Non-Rising Stem



225W



225M



225MR

225W

Flanged Ductile Iron Gate Valve - Resilient Wedge - NRS

- AWWA C515-15
- 300 PSI 2" - 12"
- 250 PSI 14" - 18"
- 200 PSI 20" - 24"
- UL Listed / FM Approved
- AWWA C550 Epoxy
- NSF-61 / NSF-372 Verified by UL Water Quality
- Supplied With Handwheel & Op. Nut

Model Number

	SIZE	WEIGHT
225W08	2"	32
225W09	2-1/2"	41
225W10	3"	53
225W11	4"	67
225W13	6"	105
225W14	8"	172
225W15	10"	286
225W16	12"	409
225W17	14"	480
225W18	16"	685
225W19	18"	890
225W20	20"	1044
225W24	24"	1503

225M

Mechanical Joint Ductile Iron Gate Valve - Resilient Wedge - NRS

- AWWA C515-15
- 300 PSI 2" - 12"
- 250 PSI 14" - 18"
- 200 PSI 20" - 24"
- UL Listed / FM Approved
- AWWA C550 Epoxy
- NSF-61 / NSF-372 Verified by UL Water Quality
- Supplied With Handwheel & Op. Nut

Model Number

	SIZE	WEIGHT
225M08	2"	33
225M10	3"	44
225M11	4"	58
225M13	6"	102
225M14	8"	154
225M15	10"	231
225M16	12"	350
225M17	14"	480
225M18	16"	685
225M19	18"	890
225M20	20"	1044
225M24	24"	1503

225MR

Mechanical Joint Ductile Iron Gate Valve - Resilient Wedge - NRS - Open Right

- AWWA C515-15
- 300 PSI 2" - 12"
- UL Listed / FM Approved
- AWWA C550 Epoxy
- NSF-61 / NSF-372 Verified by UL Water Quality

Model Number

	SIZE	WEIGHT
225M10R	3"	44
225M11R	4"	58
225M13R	6"	102
225M14R	8"	154
225M15R	10"	231
225M16R	12"	350

Join Our
Email List



Ductile Iron Gate Valves Resilient Wedge - Non-Rising Stem



225FJ



225FP



225RT



225IPAB



225WMIP

Flanged x MJ Ductile Iron Gate Valve - Resilient Wedge - NRS

225FJ

- AWWA C515-15
- 300 PSI
- UL Listed / FM Approved
- AWWA C550 Epoxy
- NSF-61 / NSF-372 Verified by UL Water Quality

Model Number		
	SIZE	WEIGHT
225FJ10	3"	44
225FJ11	4"	71
225FJ13	6"	103
225FJ14	8"	184
225FJ15	10"	267
225FJ16	12"	386

Flanged x MJ Ductile Iron Gate Valve - Resilient Wedge - NRS - Open Right

225FJR

- AWWA C515-15
- 300 PSI
- UL Listed / FM Approved
- AWWA C550 Epoxy
- NSF-61 / NSF-372 Verified by UL Water Quality

Model Number		
	SIZE	WEIGHT
225FJ11R	4"	71
225FJ13R	6"	103
225FJ14R	8"	184
225FJ15R	10"	267
225FJ16R	12"	386

Push-On x Push-On (C900/DI Pipe) Ductile Iron Gate Valve - Resilient Wedge - NRS

225RT

- AWWA C515-15
- 300 PSI
- UL Listed / FM Approved
- Less Gasket
- AWWA C550 Epoxy
- NSF-61 / NSF-372 Verified by UL Water Quality

Model Number		
	SIZE	WEIGHT
225RT11	4"	58
225RT13	6"	102
225RT14	8"	154
225RT15	10"	231
225RT16	12"	350

225RG Tyton Style Ring Gaskets Available.

Flanged x Push-On (C900/DI Pipe) Ductile Iron Gate Valve - Resilient Wedge - NRS

225FP

- AWWA C515-15
- 300 PSI
- UL Listed / FM Approved
- Less Gasket
- AWWA C550 Epoxy
- NSF-61 / NSF-372 Verified by UL Water Quality

Model Number		
	SIZE	WEIGHT
225FP11	4"	58
225FP13	6"	102
225FP14	8"	154
225FP15	10"	231
225FP16	12"	350

225RG Tyton Style Ring Gaskets Available.

IN STOCK SOON:

225TV Tapping Flanged x MJ Ductile Iron Gate Valve - Resilient Wedge - NRS.

Post Indicator Attachments

225

Model Number		
	SIZE	WEIGHT
225IPAB	4" UL/FM Vertical Indicator Post "AB" Length	50
225IPC	4" UL/FM Vertical Indicator Post "C" Length	172
225WMIP	UL/FM Indicator Post - Wall Mount	50
POST INDICATOR PLATES AVAILABLE		
P225PIP48	4" -8"	18
P225PIP12	10" -12"	22

Ductile Iron Gate Valves Resilient Wedge - Non-Rising Stem



200WW



200MW

200WW

Flanged Ductile Iron Gate Valve - Resilient Wedge - NRS

- AWWA C509-15
- 250 CWP
- Max. Temperature 230 °F
- Fusion Bonded Epoxy

Model Number

HANDWHEEL	OP. NUT	SIZE	WEIGHT
200W08W	200W08NW	2"	31
200W10W	200W10NW	3"	53
200W11W	200W11NW	4"	77
200W13W	200W13NW	6"	135
200W14W	200W14NW	8"	209
200W15W	200W15NW	10"	333
200W16W	200W16NW	12"	462

For Larger Sizes See 225M On Page 56.

200MW

Mechanical Joint Ductile Iron Gate Valve - Resilient Wedge - NRS

- AWWA C509-15
- 250 CWP
- Max. Temperature 230 °F
- Fusion Bonded Epoxy

Model Number

OP. NUT	OPEN RIGHT	SIZE	WEIGHT
200M10W	200M10RW	3"	53
200M11W	200M11RW	4"	77
200M13W	200M13RW	6"	135
200M14W	200M14RW	8"	209
200M15W	200M15RW	10"	333
200M16W	200M16RW	12"	462

For Larger Sizes See 225M On Page 56.

Need Help?

CONTACT US DIRECTLY

1. mail@matco-norca.com
2. (800) 688-2583
3. [matco-norca.com/contact us](http://matco-norca.com/contact-us)



HELP US BRIDGE GENDER-PARITY IN THE TRADE INDUSTRY.

GET INVOLVED TODAY.

MARKETING@MATCO-NORCA.COM
MATCO-NORCA.COM/NEWS



200RTD

Cast Iron Gate Valves Resilient Wedge - Non-Rising Stem




10RW Flanged Cast Iron Gate Valve - Resilient Wedge - NRS			
• 200 CWP 2" - 8" • 150 CWP 10" - 12" • 3 Bosses - 1 Tapped & Plugged • USC Approved • Epoxy Coated			
Model Number			
HANDWHEEL	OP. NUT	SIZE	WEIGHT
10RW08	10RW08N	2"	25
10RW09	-	2-1/2"	31
10RW10	10RW10N	3"	42
10RW11	10RW11N	4"	64
10RW12	10RW12N	5"	97
10RW13	10RW13N	6"	108
10RW14	10RW14N	8"	191
10RW15	-	10"	286
10RW16	-	12"	393

10RS Flanged Cast Iron Gate Valve - Resilient Wedge - NRS			
• 200 CWP • 3 Bosses - 1 Tapped & Plugged			
Model Number			
HANDWHEEL	OP. NUT	SIZE	WEIGHT
10RS08	10RS08N	2"	18
10RS09	10RS09N	2-1/2"	20
10RS10	10RS10N	3"	26
10RS11	10RS11N	4"	44
10RS12	-	5"	77
10RS13	-	6"	95

10RT Ring-Tite Cast Iron Gate Valve - Resilient Wedge - NRS - For IPS Pipe			
• 200 CWP • 3 Bosses - 1 Tapped & Plugged • Epoxy Coated			
Model Number			
OP. NUT	SIZE	WEIGHT	
10RT08	2"	20	
10RT09	2-1/2"	22	
10RT10	3"	33	
10RT11	4"	46	
10RT13	6"	90	
10RT14	8"	154	

Cast Iron Gate Valves

IBBM - Iron Body Bronze Mounted



100F



105F



100S

Flanged Cast Iron Gate Valve - IBBM - NRS

100F

- 2" - 12" - 125 SWP
- 2" - 12" - 200 WOG
- 14" - 18" - 125 SWP
- 14" - 18" - 150 WOG
- 3 Bosses
- MSS SP-70
- WW-V-58-CL1
- Bituminous Coated

Model Number

HANDWHEEL	SIZE	WEIGHT
100F08	2"	26
100F09	2-1/2"	35
100F10	3"	44
100F11	4"	77
100F12	5"	97
100F13	6"	128
100F14	8"	220
100F15	10"	315
100F16	12"	483
100F17	14"	807
100F18	16"	1077
100F19	18"	1301

OP. Nuts Available. See Page 71 for Part Numbers.

Flanged Cast Iron Gate Valve - OS&Y - IBBM - Rising Stem

105F

- 2" - 12" - 125 SWP
- 2" - 12" - 200 WOG
- 14" - 24" - 125 SWP
- 14" - 24" - 150 WOG
- 3 Bosses
- MSS SP-70
- WW-V-58-CL1
- Bituminous Coated

Model Number

HANDWHEEL	SIZE	WEIGHT
105F08	2"	29
105F09	2-1/2"	37
105F10	3"	50
105F11	4"	86
105F12	5"	115
105F13	6"	150
105F14	8"	249
105F15	10"	374
105F16	12"	524
105F17	14"	816
105F18	16"	1187
105F19	18"	1413
105F20	20"	2104
105F24	24"	3184

Threaded Cast Iron Gate Valve - IBBM - NRS

100S

- 125 SWP
- 200 WOG
- Bituminous Coated
- MSS SP-70
- WW-V-58-CL1

Model Number

HANDWHEEL	SIZE	WEIGHT
100S08	2"	23
100S09	2-1/2"	25
100S10	3"	34
100S11	4"	58
100S12	5"	77
100S13	6"	111

Cast Iron Gate & Globe Valves

IBBM - Iron Body Bronze Mounted



200F



205F



150F

200F	Flanged Cast Iron Gate Valve - IBBM - NRS	
• 200 WOG - Not for Steam Service • MSS SP-70 • Bituminous Coated		
Model Number		
	SIZE	WEIGHT
200F09	2-1/2"	39
200F10	3"	47
200F11	4"	66
200F13	6"	139
200F14	8"	201
200F15	10"	295
OP. Nuts Available. See Page 71 for Part Numbers.		

205F	Flanged Cast Iron Gate Valve - OS&Y - IBBM - Rising Stem		
	• 200 WOG - Not for Steam Service		
	• MSS SP-70		
	• Bituminous Coated		
	Model Number		
	SIZE	WEIGHT	
205F10	3”	51	
205F11	4”	75	
205F13	6”	141	
205F14	8”	223	
205F15	10”	322	

150F	Flanged Cast Iron Globe Valve - OS&Y - IBBM - Rising Stem	
• 125 SWP • 200 WOG • MSS SP-70 • Bituminous Coated		
Model Number		
	SIZE	WEIGHT
150F08	2"	38
150F09	2-1/2"	49
150F10	3"	60
150F11	4"	99
150F13	6"	187
150F14	8"	315



MATCO NORCA

Matco-Norca has been the leading supplier of globally sourced, code-compliant Plumbing & PVF products for use in residential and commercial applications for nearly 70 years.

Find your local rep at: MATCO-NORCA.COM

WINNING AS ONE!

Two trusted brands.
One reliable source for commercial and industrial needs.



SVF FLOW CONTROLS

SVF Flow Controls has been a leading manufacturer of valves, actuators & controls for industrial applications for more than 35 years.

Find your local rep at: SVF.NET

Cast Iron & Ductile Iron Gate Valves - Resilient Wedge



105W



105U



205U



205UCNY

Flanged Cast Iron Gate Valve - OS&Y - Resilient Wedge - Rising Stem

105W

- AWWA C509
- 3" - 12" 200 CWP
- 14" - 16" 150 CWP
- 3 Bosses - 1 Tapped & Plugged
- MSS-SP-70
- Fusion Bonded Epoxy - AWWA C550

Model Number		
	SIZE	WEIGHT
105W10	3"	64
105W11	4"	93
105W13	6"	157
105W14	8"	269
105W15	10"	436
105W16	12"	597
105W17	14"	827
105W18	16"	1135

Flanged Cast Iron Gate Valve - OS&Y - Resilient Wedge - Rising Stem

205U

- AWWA C515-15
- 300 CWP
- Max. Temperature 180° F
- 4 Bosses - 1 Tapped & Plugged
- Fusion Bonded Epoxy Coating - AWWA C550

Model Number		
	SIZE	WEIGHT
205U09	2-1/2"	57
205U10	3"	69
205U11	4"	104
205U13	6"	172
205U14	8"	243
205U15	10"	440
205U16	12"	683



Flanged Cast Iron Gate Valve - OS&Y - Resilient Wedge - Rising Stem

105U

- 175 CWP
- 3 Bosses - 1 Tapped & Plugged
- N.Y.C. APPROVED
- USC Approved
- Fusion Bonded Epoxy

Model Number		
	SIZE	WEIGHT
105U09	2-1/2"	51
105U10	3"	66
105U11	4"	97
105U13	6"	164
105U14	8"	283
105U15	10"	456
105U16	12"	755



Flanged Ductile Iron Gate Valve - OS&Y - Resilient Wedge - Rising Stem

205UCNY

- AWWA C515-15
- 300 CWP
- Max. Temperature 180° F
- Less Tap & Plug
- Chicago / NYC Body Spec
- Fusion Bonded Epoxy Coating - AWWA C550

Model Number		
	SIZE	WEIGHT
205U09CNY	2-1/2"	57
205U10CNY	3"	69
205U11CNY	4"	104
205U13CNY	6"	172
205U14CNY	8"	243
205U15CNY	10"	440
205U16CNY	12"	683



Cast Iron Swing Check Valves IBBM & Resilient Seat



115F



115S



120F



120S

115F Flanged Cast Iron Swing Check Valve - IBBM

- 125 SWP
- 200 WOG
- One Boss
- MSS-SP-71
- Bituminous Coated

Model Number		
	SIZE	WEIGHT
115F08	2"	20
115F09	2-1/2"	31
115F10	3"	42
115F11	4"	69
115F12	5"	80
115F13	6"	115
115F14	8"	231
115F15	10"	357
115F16	12"	498

120F Flanged Cast Iron Swing Check Valve - Resilient Seat

- 200 CWP
- One Boss
- MSS-SP-71
- Epoxy Coated

Model Number		
	SIZE	WEIGHT
120F08	2"	20
120F09	2-1/2"	31
120F10	3"	41
120F11	4"	69
120F12	5"	79
120F13	6"	115
120F14	8"	230
120F15	10"	356
120F16	12"	497

115S Threaded Cast Iron Swing Check Valve

- 125 SWP
- 200 WOG
- MSS-SP-71
- Bituminous Coated

Model Number		
	SIZE	WEIGHT
115S08	2"	14
115S09	2-1/2"	18
115S10	3"	27
115S11	4"	53
115S13	6"	100

120S Threaded Cast Iron Swing Check Valve - Resilient Seat

- 200 CWP
- MSS-SP-71
- Epoxy Coated

Model Number		
	SIZE	WEIGHT
120S08	2"	14
120S09	2-1/2"	18
120S10	3"	27
120S11	4"	53
120S13	6"	99

Swing Check Valves Resilient Seat



120W



120WC



P120WSK



120U

Flanged Ductile Iron Swing Check Valve - Resilient Seat

120W

- AWWA C508
- 300 CWP
- One Boss
- Fusion Bonded Epoxy

Model Number		
	SIZE	WEIGHT
120W10	3"	56
120W11	4"	75
120W13	6"	144
120W14	8"	275
120W15	10"	435
120W16	12"	594

Flanged Ductile Iron Check Valve - Resilient Seat - Outside Lever And Weight

120WC

- AWWA C508
- 3" - 12" - 300 CWP
- 14" - 16" - 150 CWP
- One Boss
- Fusion Bonded Epoxy

Model Number		
	SIZE	WEIGHT
120WC10	3"	57
120WC11	4"	84
120WC13	6"	156
120WC14	8"	294
120WC15	10"	466
120WC16	12"	627
120WC17	14"	873
120WC18	16"	1025

P120WSK Spring Kit Available For 120WC.

P120WLW Replacement Lever & Weight Available for 120WC.

Flanged Cast Iron Swing Check Valve - Resilient Seat

120U

- 175 CWP
- One Boss
- N.Y.C. Approved
- Fusion Bonded Epoxy

Model Number			
	SIZE	DRAIN ON BOTTOM	WEIGHT
120U09	2-1/2"	1/2"	44
120U10	3"	1/2"	51
120U11	4"	1/2"	79
120U13	6"	3/4"	152
120U14	8"	1"	312
120U15	10"	1"	462
120U16	12"	1"	662



Join Our
Email List



Wafer Style Check Valves



CVC



CVCUL



SC

CVC Wafer Check Valve - Double Bronze Disc - BUNA-N Seat		
• Class 125 • 300 WOG • Ductile Iron Body - SS Springs & Shaft		
Model Number		
	SIZE	WEIGHT
CVC-2	2"	4
CVC-2.5	2-1/2"	5
CVC-3	3"	8
CVC-4	4"	13
CVC-5	5"	16
CVC-6	6"	20
CVC-8	8"	38
CVC-10	10"	57
CVC-12	12"	92
CVC-14	14"	121
CVC-16	16"	165

CVCUL Wafer Check Valve - Double SS Disc - EPDM Seat		
• Class 125 • 175 PSI • UL Listed • Ductile Iron Body - SS Spring & Shaft		
Model Number		
	SIZE	WEIGHT
CVC-4UL	4"	19
CVC-6UL	6"	30
CVC-8UL	8"	51

SC Silent Wafer Check Valve - Poppet Style - Bronze Disc And Seat		
• Class 125 • 200 WOG • Cast Iron Body - SS Spring		
Model Number		
	SIZE	WEIGHT
SC-2	2"	7
SC-2.5	2-1/2"	9
SC-3	3"	15
SC-4	4"	25
SC-5	5"	32
SC-6	6"	56
SC-8	8"	100
SC-10	10"	140
SC-12	12"	340

MATCO NORCA

Matco-Norca has been the leading supplier of globally sourced, code-compliant Plumbing & PVF products for use in residential and commercial applications for nearly 70 years.

Find your local rep at: MATCO-NORCA.COM

SVF FLOW CONTROLS

SVF Flow Controls has been a leading manufacturer of valves, actuators & controls for industrial applications for more than 35 years.

Find your local rep at: SVF.NET

WINNING AS ONE!

Two trusted brands.
One reliable source for commercial and industrial needs.

Cast Iron Y Strainers



140F



140S

Flanged Cast Iron Y Strainer

- 125 SWP
- 200 WOG
- Bituminous Coated

140F

Model Number		
	SIZE	WEIGHT
140F08	2"	20
140F09	2-1/2"	31
140F10	3"	42
140F11	4"	73
140F12	5"	107
140F13	6"	121
140F14	8"	198
140F15	10"	372
140F16	12"	539

Threaded Cast Iron Y Strainer

- 250 SWP
- Bituminous Coated

140S

Model Number		
	SIZE	WEIGHT
140S02	3/8"	1
140S03	1/2"	1
140S04	3/4"	2
140S05	1"	3
140S06	1-1/4"	5
140S07	1-1/2"	7
140S08	2"	12
140S09	2-1/2"	27
140S10	3"	38

NOTES

Cast Iron Flanges: Companion, Reducing, Blind, PVC Van Stone Flanges



CICFB



CICFG



CIRFB



CIRFG



CIBF



PVCF


CICF		Cast Iron Companion Flange		
Model Number				
BLACK	GALV.	FLANGE x O.D.	# OF HOLES	WEIGHT
CICFB07	CICFG07	1-1/2" x 5"	4	3
CICFB08	CICFG08	2" x 6"	4	4
CICFB09	CICFG09	2-1/2" x 7"	4	6
CICFB10	CICFG10	3" x 7-1/2"	4	8
CICFB11	CICFG11	4" x 9"	8	12
CICFB12	CICFG12	5" x 10"	8	14
CICFB13	CICFG13	6" x 11"	8	17
CICFB14	CICFG14	8" x 13-1/2"	8	26
CICFB15	CICFG15	10" x 16"	12	38
CICFB16	CICFG16	12" x 19"	12	57

CIBF		Cast Iron Blind Flange		
Model Number				
BLACK	NOMINAL SIZE	FLANGE x O.D.	# OF HOLES	WEIGHT
CIBFB08	2"	2" x 6"	4	5
CIBFB09	2-1/2"	2-1/2" x 7"	4	7
CIBFB10	3"	3" x 7-1/2"	4	9
CIBFB11	4"	4" x 9"	8	16
CIBFB13	6"	6" x 11"	8	25
CIBFB14	8"	8" x 13-1/2"	8	42
CIBFB15	10"	10" x 16"	12	65
CIBFB16	12"	12" x 19"	12	85

CIRF		Cast Iron Reducing Flange			
Model Number					
BLACK	GALV.	FLANGE x IPS	IPS x O.D.	# OF HOLES	WEIGHT
CIRFB32	CIRFG32	3" x 2"	2" x 7-1/2"	4	9
CIRFB32.5	CIRFG32.5	3" x 2-1/2"	2-1/2" x 7-1/2"	4	8
CIRFB42	CIRFG42	4" x 2"	2" x 9"	8	14
CIRFB42.5	CIRFG42.5	4" x 2-1/2"	2-1/2" x 9"	8	13
CIRFB43	CIRFG43	4" x 3"	3" x 9"	8	13
CIRFB52.5	CIRFG52.5	5" x 2-1/2"	2-1/2" x 10"	8	20
CIRFB54	CIRFG54	5" x 4"	4" x 10"	8	16
CIRFB62	CIRFG62	6" x 2"	2" x 11"	8	26
CIRFB62.5	CIRFG62.5	6" x 2-1/2"	2-1/2" x 11"	8	22
CIRFB63	CIRFG63	6" x 3"	3" x 11"	8	23
CIRFB64	CIRFG64	6" x 4"	4" x 11"	8	21
CIRFB65	CIRFG65	6" x 5"	5" x 11"	8	19
CIRFB82	CIRFG82	8" x 2"	2" x 13-1/2"	8	44
CIRFB82.5	CIRFG82.5	8" x 2-1/2"	2-1/2" x 13-1/2"	8	40
CIRFB83	CIRFG83	8" x 3"	3" x 13-1/2"	8	40
CIRFB84	CIRFG84	8" x 4"	4" x 13-1/2"	8	37
CIRFB85	CIRFG85	8" x 5"	5" x 13-1/2"	8	34
CIRFB86	CIRFG86	8" x 6"	6" x 13-1/2"	8	31

PVCF	PVC Van Stone Flange - (Sch 80) Socket (Swivel)		
Model Number			
	SIZE	# OF HOLES	WEIGHT
PVCF08	2"	4	1
PVCF10	3"	4	2
PVCF11	4"	8	3
PVCF12	5"	8	4
PVCF13	6"	8	4
PVCF14	8"	8	6
PVCF15	10"	12	11

Accessories: Gaskets, Bolts & Bolt & Gasket Sets



150# Non-Asbestos Ring Bolt Pack - 1/16"

GSNA/GNA

Model Number		
PACK	GASKET ONLY	SIZE
GSNAG2	GNA2	2"
GSNAG2.5	GNA2.5	2-1/2"
GSNAG3	GNA3	3"
GSNAG4	GNA4	4"
GSNAG5	GNA5	5"
GSNAG6	GNA6	6"
GSNAG8	GNA8	8"
GSNAG10	GNA10	10"
GSNAG12	GNA12	12"
GSNAG14	GNA14	14"
GSNAG16	GNA16	16"

150# Full Face Red Rubber Bolt Pack - 1/8"

GSFF/GFF

Model Number		
PACK	GASKET ONLY	SIZE
GSFFG2	GFF2	2"
GSFFG2.5	GFF2.5	2-1/2"
GSFFG3	GFF3	3"
GSFFG4	GFF4	4"
GSFFG5	GFF5	5"
GSFFG6	GFF6	6"
GSFFG8	GFF8	8"
GSFFG10	GFF10	10"
GSFFG12	GFF12	12"
GSFFG14	GFF14	14"
GSFFG16	GFF16	16"

150# Non-Asbestos Full Face Bolt Pack - 1/16"

GSNAFF/
GFFNA

Model Number		
PACK	GASKET ONLY	SIZE
GSNAFFG2	GFFNA2	2"
GSNAFFG2.5	GFFNA2.5	2-1/2"
GSNAFFG3	GFFNA3	3"
GSNAFFG4	GFFNA4	4"
GSNAFFG5	GFFNA5	5"
GSNAFFG6	GFFNA6	6"
GSNAFFG8	GFFNA8	8"

300# Non-Asbestos Ring Bolt Pack - 1/16"

GSNAX/
GNAX

Model Number		
PACK	GASKET ONLY	SIZE
GSNAXG2	GNAX2	2"
GSNAXG2.5	GNAX2.5	2-1/2"
GSNAXG3	GNAX3	3"
GSNAXG4	GNAX4	4"
GSNAXG5	GNAX5	5"
GSNAXG6	GNAX6	6"
GSNAXG8	GNAX8	8"

Plated Stud Bolt, Nut And Washer Set

SBG

• For Wafer Butterfly Valves

Model Number			
	FITS SIZES	QUANTITY	BOLT SIZE
SBG2	2" & 2-1/2"	4	5/8" x 6"
SBG3	3"	4	5/8" x 7"
SBG4	4"	8	5/8" x 7"
SBG6	5", 6" & 8"	8	3/4" x 7"
SBG10	10" & 12"	12	7/8" x 8"
SBG14	14"	12	1" x 8"
SBG16	16"	16	1" x 10"

Mechanical Joint Accessory Kits

T-Wrench For Cast & Ductile Valves



100MJ	MJ Accessory Kit - Fits Ductile Iron & C-900 Pipe		
• Includes - STD T-Head Bolts, MJ Gasket & D.I. Gland			
MODEL NUMBER		SIZE	WEIGHT
100MJ2		2"	5
100MJ3		3"	7
100MJ4		4"	8
100MJ6		6"	12
100MJ8		8"	15
100MJ10		10"	20
100MJ12		12"	25
100MJ14		14"	25
100MJ16		16"	25

100MJX	MJ Transition Accessory Kit - Fits (IPS) PVC & Steel Pipe		
	• Includes - STD T-Head Bolts, Transition Gasket & D.I.Gland		
MODEL NUMBER	SIZE	WEIGHT	
100MJX2	2”	5	
100MJX3	3”	7	
100MJX4	4”	8	
100MJX6	6”	12	
100MJX8	8”	15	
100MJX10	10”	20	
100MJX12	12”	25	

EMKL	T-Wrench For 2" Operating Nut	
MODEL NUMBER	SIZE	
EMKL36	36"	
EMKL60	60"	

Need Help?

CONTACT US DIRECTLY

1. mail@matco-norca.com
2. (800) 688-2583
3. matco-norca.com/contact us



MATCO
NORCA

Wheel Handles & Operating Nuts For Iron Gate Valves



P-2WH



P-WH-U



P-100NB



P-100NL



P-200DNC

Wheel Handles For Iron Gate Valves				WH
MODEL NUMBER	SIZE	FITS MODEL#	SIZE	FITS MODEL #
P-WH-A	2", 2-1/2"	10RS/W/T		
P-WH-B	3"	10RS/W/T	2", 2-1/2"	100F/S
P-WH-C	4"	10RS/W/T	3"	100F/S
P-WH-D	4"	100F/S		
P-WH-E	5", 6"	10RS/W/T	5", 6"	100F/S
P-WH-F	8"	10RS/W/T	8"	100F/S
P-WH-G	10"	10RS/W/T	10"	100F
P-WH-H	12"	10RS/W/T	12"	100F
P-WH-U3	2-1/2, 3"	105U		
P-WH-U4	4"	105U		
P-WH-U6	6"	105U		
P-WH-U8	8"	105U		
P-WH-U10	10"	105U		
P-WH-U12	12"	105U		
P105FA	2"	105F/S	2", 2-1/2"	12RW
P105FB	2-1/2"	105F/S	3"	12RW
P105FC	3"	105F/S/W	4"	12RW
P105FD	4"	105F/S/W	5", 6"	12RW
P105FE	5"	105F/S		
P105FG	6"	105F/S/W		
P105FH	8"	105F/S/W		
P105FI	10"	105F/S/W		
P105FJ	12"	105F/S/W		
P-2DWH8	2"	200WD/WW/ MW	2"	100RTW
P-2DWH9	2-1/2"	200WD/WW/MW	2-1/2"	100RTW
P-2DWH10	3"	200WD/WW/MW/FJW	3"	100RTW
P-2DWH11	4"	200WD/WW/MW/FJW	4"	100RTW
P-2DWH13	6"	200WD/WW/MW/FJW	6"	100RTW
P-2DWH14	8"	200WD/WW/MW/FJW	8"	100RTW
P-2DWH15	10"	200WD/WW/MW/FJW	10"	100RTW
P-2DWH16	12"	200WD/WW/MW/FJW	12"	100RTW
Old Style Handwheels (200W Handwheels Pre 2008)				
P-2WH10	3"	200W/M/FJ	3"	100RT
P-2WH11	4"	200W/M/FJ	4"	100RT
P-2WH13	6"	200W/M/FJ	6"	100RT
P-2WH14	8"	200W/M/FJ	8"	100RT
P-2WH15	10"	200W/M/FJ	10"	100RT

2" Operating Nut For NRS Iron Gate Valves				OP
MODEL NUMBER	SIZE	FITS MODEL#	SIZE	FITS MODEL #
P-100NA	2", 2-1/2"	10RS/W/T		
P-100NB	3"	10RS/W/T	2", 2-1/2"	100F/S
P-100NC	4"	10RS/W/T 200F	3"	100F/S
P-100ND	4"	100F/S 200F		
P-100NE	5", 6" 8"	10RS/W/T 200F	5", 6"	100F/S
P-100NF	8" 6"	10RS/W/T 200F	8"	100F/S
P-100NG	10"	10RW	10"	100F
P-100NH	12"	10RW	12"	100F
P-100NL	14"	100W/M/F		
P-100NM	16"	100F		
P-100NO	18"	100F		
P-100NP	16"	100W/M		

2" Operating Nut For NRS Iron Gate Valves		OP
MODEL NUMBER		SIZE
P-200DNC		2" - 4"
P-200DND		6" - 8"
P-200DNF		10"
P-200DNG		12"

Butterfly Valve Part # Breakdown


B5-RLO4

B5 **RLO** **4** **-**

CHOOSE SERIES	SELECT STYLE	PART#	SIZE	DISC & LINER	EXAMPLE
B1	RLO Wafer Style, Lever Operated	2	2"	- Zinc Coated Ductile Iron Disc - BUNA-N Liner (2" - 12")	B5-RLO4
B5		2.5	2-1/2"	- Nickel Plated Ductile Iron Disc - BUNA-N Liner (14" - 36")	B5-RLO4
B6	RWG Wafer Style, Gear Operated	3	3"	AB Aluminum-Bronze Disc - BUNA-N Liner	B5-RLO4AB
B7	LGL Lug Style, Lever Operated	4	4"	ABE Aluminum-Bronze Disc - EPDM Liner	B5-RLO4ABE
	LGG Lug Style, Gear Operated	5	5"	S 316 Stainless Steel Disc - BUNA-N Liner	B5-RLO4S
		6	6"	SE 316 Stainless Steel Disc - EPDM Liner	B5-RLO4SE
		8	8"		
		10	10"		
		12	12"		
		Through 36"			



B1 PVC Butterfly Valves & Parts



B1-RLO

PVC Wafer Butterfly Valve - 200 PSI		B1
• 10 Position Lock Lever Operated		
MODEL NUMBER	SIZE	WEIGHT
B1-RLO2	2"	4
B1-RLO2.5	2-1/2"	4
B1-RLO3	3"	7
B1-RLO4	4"	8
B1-RLO6	6"	11
Valves Only Available with Stainless Steel Stem, EPDM Liner, Polypropylene Disc.		



B1L11

Lever Handle For B1 Butterfly Valve		B1L
• Replacement Handles For B1 Butterfly Valve • Square End		
MODEL NUMBER	SIZE	
B1L10	3"	
B1L11	4"	
B1L13	6"	

NOTES

[illegible]

B5 Butterfly Valves

Gear or 10 Position Lock Lever Operated



B5-RLO



B5-LGL



B5-RWG



B5-LGG

B5-RLO		Ductile Iron Wafer Butterfly Valve - Lever Operated	
• 200 PSI			
MODEL NUMBER	SIZE	WEIGHT	
B5-RLO2	2"	9	
B5-RLO2.5	2-1/2"	11	
B5-RLO3	3"	12	
B5-RLO4	4"	15	
B5-RLO5	5"	19	
B5-RLO6	6"	22	
B5-RLO8	8"	39	
B5-RLO10	10"	55	
B5-RLO12	12"	75	


B5-LGL		Ductile Iron Lug Butterfly Valve - Lever Operated	
• 200 PSI			
MODEL NUMBER	SIZE	WEIGHT	
B5-LGL2	2"	10	
B5-LGL2.5	2-1/2"	12	
B5-LGL3	3"	13	
B5-LGL4	4"	20	
B5-LGL5	5"	24	
B5-LGL6	6"	26	
B5-LGL8	8"	45	
B5-LGL10	10"	64	
B5-LGL12	12"	86	

B5-RWG		Wafer Butterfly Valve - Gear Operated	
• 2" - 12" Ductile Iron - 200 PSI			
• 14" - 36" Cast Iron - 150 PSI			
MODEL NUMBER		SIZE	WEIGHT
B5-RWG2		2"	18
B5-RWG2.5		2-1/2"	20
B5-RWG3		3"	21
B5-RWG4		4"	24
B5-RWG5		5"	29
B5-RWG6		6"	31
B5-RWG8		8"	59
B5-RWG10		10"	75
B5-RWG12		12"	102
B5-RWG14		14"	125
B5-RWG16		16"	207
B5-RWG18		18"	251
B5-RWG20		20"	349
B5-RWG24		24"	448
B5-RWG30		30"	1155
B5-RWG36		36"	185

B5-LGG		Lug Butterfly Valve - Gear Operated	
• 2” - 12” Ductile Iron - 200 PSI			
• 14” - 36” Cast Iron - 150 PSI			
MODEL NUMBER		SIZE	WEIGHT
B5-LGG2		2”	21
B5-LGG2.5		2-1/2”	21
B5-LGG3		3”	24
B5-LGG4		4”	29
B5-LGG5		5”	33
B5-LGG6		6”	35
B5-LGG8		8”	64
B5-LGG10		10”	83
B5-LGG12		12”	113
B5-LGG14		14”	149
B5-LGG16		16”	244
B5-LGG18		18”	282
B5-LGG20		20”	374
B5-LGG24		24”	662
B5-LGG30		30”	1250
B5-LGG36		36”	2050

All Valves Come Standard With Nickel Plated Ductile Iron Disc and BUNA-N Liner;
See Butterfly Valve Part # Breakdown for Other Configurations. Page 72.

B5 Butterfly Valve Parts & Accessories



Lever Handle For B5 Butterfly Valve		B5L
MODEL NUMBER	SIZE	
B5L3	2" - 3"	
B5L4	4"	
B5L6	6"	
B5L8	8"	
B5L10	10"	
B5L12	12"	

Gear Nut For B5 Butterfly Valve		B5GRNUT
MODEL NUMBER		SIZE
B5GRNUT6		2" - 6"
B5GRNUT12		8" - 12"
B5GRNUT14		14"
B5GRNUT16		16"
B5GRNUT18		18"
B5GRNUT20		20"
B5GRNUT24		24"

Hand Wheel For B5 Butterfly Valve		B5WH
MODEL NUMBER	SIZE	
B5-WH2	2" - 6"	
B5-WH8	8"-12"	
B5-WH16	16"	
B5-WH18	18"	
B5-WH30	30"	
B5-WH36	36"	

Latch Nut For B5 Butterfly Valve		B5LCH
MODEL NUMBER	SIZE	
B5-LCH-3	2" - 3"	
B5-LCH-4	4"	
B5-LCH-6	6"	

Index Plate For B5 Butterfly Valve		B5IND
MODEL NUMBER		
CHROME PLATED	SIZE	
B5IND23	2" - 3"	
B5IND810	8 - 10"	
B5IND12	12"	
STAINLESS STEEL PLATED		
B5IND3S	3"	
B5IND4S	4"	
B5IND6S	6"	

Gear Nut For B5 Butterfly Valve			B5G
WITH HANDWHEEL & PIN	SIZE		SIZE
B5G23	2” - 3”	B5G14	14”
B5G4	4”	B5G16	16”
B5G56	5” - 6”	B5G18	18”
B5G8	8”	B5G24	24”
B5G10	10”		
B5G12	12”		
B5G12R	12” Rounded		

Stem Extension For B5 Butterfly Valve		B5X
Model Number		
PACK	FITS VALVE SIZE	LENGTH OF EXTENSION
B5-X** A	2” - 3”	24”
B5-X** B	4”	36”
B5-X** C	5” - 6”	48”
B5-X** D	8”	60”
B5-X** E	10”	72”
B5-X** F	12”	Example: B5-X24-A= 24” Extension For 2” - 3” Butterfly Valve
B5-X** G	14”	
B5-X** H	16”	
B5-X** I	18”	**Place Holder For Length of Extension. Flat & Round Extensions Also Available.
B5-X** J	20”	
B5-X** K	24”	

B6 Butterfly Valves

Gear or 10 Position Lock Lever Operated



B6-RLO



B6-RWG



B6-LGL



B6-LGG

B6-RLO Cast Iron Wafer Butterfly Valve - Lever Operated			
• 200 PSI			
MODEL NUMBER	SIZE	WEIGHT	
B6-RLO2	2"	7	
B6-RLO2.5	2-1/2"	9	
B6-RLO3	3"	10	
B6-RLO4	4"	13	
B6-RLO5	5"	17	
B6-RLO6	6"	19	
B6-RLO8	8"	31	
B6-RLO10	10"	45	
B6-RLO12	12"	74	

B6-RWG Cast Iron Wafer Butterfly Valve - Gear Operated			
• 200 PSI			
MODEL NUMBER	SIZE	WEIGHT	
B6-RWG2	2"	17	
B6-RWG2.5	2-1/2"	18	
B6-RWG3	3"	19	
B6-RWG4	4"	22	
B6-RWG5	5"	27	
B6-RWG6	6"	29	
B6-RWG8	8"	55	
B6-RWG10	10"	68	
B6-RWG12	12"	101	

B6-LGL Cast Iron Lug Butterfly Valve - Lever Operated			
• 200 PSI			
MODEL NUMBER	SIZE	WEIGHT	
B6-LGL2	2"	10	
B6-LGL2.5	2-1/2"	11	
B6-LGL3	3"	13	
B6-LGL4	4"	22	
B6-LGL5	5"	26	
B6-LGL6	6"	33	
B6-LGL8	8"	42	
B6-LGL10	10"	63	
B6-LGL12	12"	92	

B6-LGG Cast Iron Lug Butterfly Valve - Gear Operated			
• 200 PSI			
MODEL NUMBER	SIZE	WEIGHT	
B6-LGG2	2"	20	
B6-LGG2.5	2-1/2"	21	
B6-LGG3	3"	22	
B6-LGG4	4"	31	
B6-LGG5	5"	36	
B6-LGG6	6"	43	
B6-LGG8	8"	63	
B6-LGG10	10"	86	
B6-LGG12	12"	118	

Valves Only Come With Stainless Steel Stem, BUNA-N Seat, Nickel Plated Ductile Iron Disc.

B6 Butterfly Valve & Parts

B7 Butterfly Valve



B6L



B6G



B6IND



B6-TLO



B7-RLO

Lever Handle For B6 Butterfly Valve		B6L
MODEL NUMBER	SIZE	
B6L3	2" - 3"	
B6L4	4"	
B6L6	6"	
B6L8	8"	
B6L10	10"	
B6L12	12"	

Index Plate For B6 Butterfly Valve		B6IND
MODEL NUMBER	SIZE	
B6IND26	2" - 6"	
B6IND812	8" - 12"	

Gear For B6 Butterfly Valve		B6G
• With Handwheel & Pin		
MODEL NUMBER	SIZE	
B6G23	2" - 3"	
B6G4	4"	
B6G56	5 - 6"	
B6G8	8"	
B6G10	10"	
B6G12	12"	

Cast Iron Nickel Plated Butterfly Valve		B6
• 200 PSI		
MODEL NUMBER	SIZE	WEIGHT
B6-TLO4AB	4"	20

Cast Iron Wafer Butterfly Valve - Double Stem - Short Neck		B7
• 200 PSI		
MODEL NUMBER	SIZE	WEIGHT
B7-RLO2	2"	8
B7-RLO2.5	2-1/2"	10
B7-RLO3	3"	11
B7-RLO4	4"	15
B7-RLO5	5"	20
B7-RLO6	6"	22
B7-RLO8	8"	36
B7-RLO10	10"	51
B7-RLO12	12"	71
Available With Stainless Steel Stem, BUNA-N Liner, Ductile Disc or Aluminum Bronze Disc.		

Terms & Conditions Of Sale

Acceptance

Orders, whether verbal or written, are subject to acceptance by Matco-Norca, Inc. Hereinafter referred to as the seller at its Brewster, N.Y. office. No terms or conditions of buyers order contrary to seller's terms and conditions shall be binding upon seller unless specifically agreed upon by seller in writing. Sellers acceptance of orders shall occur by written acknowledgement or tender of delivery of goods and or services the subject hereof (goods), which ever occurs first.

Prices And Sales Policy

Until written confirmation of this contract has been received by buyer, all prices are subject to change without prior notice. We reserve the right to adjust orders to standard package quantities unless otherwise stated on buyers purchase order. We reserve the right to make product improvement without notice. If seller determines buyer's credit is unsatisfactory or there is reasonable doubt concerning buyer's ability to pay, payment in advance may be required or buyer shall provide security for such payment in an amount and form acceptable to seller. Unless otherwise specified by seller, terms are 2% 10 days/net 30 days.

Cash discounts apply to the value of goods at the net invoiced value before transportation charges, taxes and additional duties. Unearned cash discounts will be charged back as an unpaid balance to the buyers account. Any past due amount is subject to a finance charge of 1-1/2% per month (18% per year) on the total past due balance in accordance with the Truth-in-lending Act in Title 1 of the Federal Consumer Protection Act effective July 1, 1969.

Taxes

All prices are exclusive of taxes and excises. Sales, use and other taxes, by whomsoever levied, are to be paid by the buyer and unless invoiced, are to be paid by buyer direct to the appropriate governmental agency. Buyers are required to furnish seller with a copy of their tax exemption of resale certificate, otherwise applicable state sales taxes will be charged.

Delivery And Shipment Of Materials

All goods are sold F.O.B. sellers warehouse. Delivery of material to a common carrier shall constitute delivery thereof to buyer and risk of loss shall pass to buyer at such time. Claims for damage to or loss of material in transit shall be filed by buyer direct with carrier. Buyer assumes all risks and liability for the results obtained by the use of material delivered hereunder. No claim of any kind, whether as to material delivered or for nondelivery or late delivery of material and whether based on negligence or otherwise, shall be greater in amount than the purchase price of the material in respect to which such claim is made. In no event shall seller be liable for indirect or consequential damages or for anticipated profits or loss of use of equipment.

Returns And Cancellations

Permission in writing and return authorization must be obtained from seller before any goods are returned. All returns must be prepaid, no collect shipments will be accepted. All returns made for reasons other than defects are subject to a restocking charge. Discontinued goods are not returnable.

Cancellation of orders may be made only with the sellers written consent and shall be subject to cancellation charges.

Governing law

The entering into, construction, interpretation, performance and discharge of the terms set forth herewith shall be governed in accordance with the laws of the State of New York.

Limited One Year Warranty

Seller warrants the material to be free of defects in material and workmanship, under normal use, proper maintenance and proper operation, for a period of one year from date of delivery to a common carrier for shipment to buyer or his designated agent. The obligation of the seller is limited to (1) repair of the material, or (2) replacement of any component or components proven defective in material or workmanship, or (3) refund of the purchase price. Seller shall have no liability for the cost of removal or reinstallation with respect to any replaced or repaired product. The election of said remedies shall be determined by seller in its sole discretion and shall be considered final disposition.

All implied warranties, including the implied warranties of merchantability and fitness for a particular purpose, are hereby disclaimed and excluded. This warranty is in lieu of all other warranties, guarantees, agreements and similar obligations or seller, in no event shall seller be liable for consequential or incidental damages.

Claims

No later than ten (10) days from receipt of material buyer will report, in writing, all claims for any damage, defects or shortages. All claims, including for alleged damaged or defective material, shortage negligence or any other cause whatsoever "(defective performance)", shall be deemed waived unless made in writing within the ten (10) day period. However, any defective performance not discoverable within said ten (10) day period (including that discoverable only in processing or in further manufacturing) shall be deemed waived unless made in writing and received by seller in writing within ninety (90) days after receipt or within ten (10) days after buyer learns of the alleged defect, whichever occurs first. Seller's liability shall in no event exceed the purchase price of the material in respect to which the claim is made, or at the election of seller at its sole discretion, and to repair or replacement of such material. Seller shall not be liable for, and buyer assumes all responsibility for, all personal injury and property damage resulting from handling, possession, use or resale of the material by buyer. In no event shall seller be liable for incidental or consequential damages, whether buyer's claim is in contract, negligence, or otherwise. If claim is made, buyer shall permit seller at seller's option to re-inspect the material at buyer's plant or if seller so directs, buyer shall return the material at buyer's expense to seller's facility for re-inspection. No material may be returned to seller without prior written permission from seller.

Force Majeure

Anything in this agreement to the contrary notwithstanding, it is expressly agreed that seller shall not be liable for any damages resulting from, and buyer shall not have the right to cancel this order because of any delays caused in whole or in part by fires, floods, windstorms, tornadoes, wars, riots, insurrections, strikes, lockouts sit-downs, slow-downs, or other labor trouble, causing cessation or interruption of operation or by accident, material shortages, labor or fuel shortages, or inability to procure labor or materials, either on the part of the seller, or because any plant, plants or any portion thereof belonging to seller have been commandeered by the legally constituted public authority, or because of any priorities or preferences established for the manufacture, assembly or allotment of materials by order, decree, or to otherwise of the united states, or by any department, bureau, commission, committee, agent or administrator of any legally constituted public authority in any plant of seller, or any of its suppliers, or resulting from any other cause beyond the control of seller.

ITEM NUMER PAGE NUMBER

10	
10RS	60
10RT	60
10RW	60
15SSTH	40

20	
20CSFLD	42
20SSFLD	42
20SSTHM	40
25CSTHM	40
25LF	35
25SSTHM	40
26LF	34-35
26CSTHM	40
26SSTHM	40
29LF	32-33

30	
30CSSW	41
30CSTH	41
30SSSW	42
30SSTH	42

40	
40SSTH	49

50	
50SSTH	49
58	10-11
59	10
59DB	37

60	
60SSTH	49

70	
70SSTH	49

100	
100F	61
100MJ	70
100MJX	70
100S	61
105F	61
105U	63
105W	63
115F	64
115S	64
120F	64
120S	64
120U	65
120W	65
120WC	65
140F	67
140S	67
145	17
146	17
150F	62

200	
200AL	9
200F	62
200L	9
200LF	9
200MW	58
200RTD	59

ITEM NUMER PAGE NUMBER

200WD	59
200WW	58
201	23
201A	23
201CMLF	23
202CMLF	23
202LF	23
203	28
204	22
205	22
205CM	22
205F	22, 62
205U	63
205UCNY	63
205WH	31
206	28
206H	28
206HLK	28
206PX	28
206VB	28
207	26
209	29
209PX	29
212	29
212PX	29
225FJ	57
225FP	57
225IPAB	57
225IPC	57
225M	56
225MR	56
225RT	57
225W	56
225WMIP	57
240H	9
240T	9

300	
300BV	6

400	
400CSF	48
405CSF	48
422CSF	48
434LF	36

500	
500FCT	43
500FCW	43
500FSST	43
500FSSW	43
501	15
503	14
505FCT	44
505FCW	44
505FSST	45
505FSSW	45
511	15
512	15
513	15
514	14
517	14
519	16
519TP	16
520FCT	46
520FCW	46
522FCT	46
521	18
521N	18

ITEM NUMER PAGE NUMBER

522FCW	47
522FSST	47
522FSSW	47
523	20
525	19
527LF	19
529	20
530	18
532	19

600	
646AS	21
646BV	26
646R	26

700	
720QLF	5
730	16
750LF	5
752CMLF	8
752N	6
752UF	8
754DLF	8
754N	6
754PXCEDLF	7
754PXCSELF	7
754PXCCEM	7
754PXDSELF	7
754PXLF	7
755	5
755MF	8
757	4
759	4-5
759LHLF	4, 41
759MF	5
759PLF	5
759SDS	37
760	6
770	12
770G	12
770N	12
771	13
772	13
772ST	13
773	13

A	
ADJ	31
AHV	31
AVA	31
AVS	31
AZ203	24
AZ205	24
AZ206	24
AZ207	25
AZ212	25
AZ646	25

B	
B1	73
B41C	52
B5	74-75
B6	76-77
B7	77
BARV	30
BARVY	30

ITEM NUMER PAGE NUMBER

BARVYN	30
BCV	31
BEV99	50
BDVLF	21
BFPLF	21
BSGV	30
BZ99	51

C	
CIBF	68
CICF	68
CIF	37
CIRF	68
CK	31
CVC	66
CVCUL	66

D	
DCVLF	21

E	
EFV	36
EMKL	70
EZ99	50

F	
FR	36
FV	36
FY	27

G	
GFF	69
GFFNA	69
GNA	69
GNAX	69
GSFF	69
GSNA	69
GSNAFF	69
GSNAX	69

H	
HAV	31

K	
KEY	31

M	
MB51	52
MZ99	53

N	
NT	30

O	
OP	71
OTV	37

P	
PVCF	68

S	
SB99	51
SBG	69
SC	66
SGV	30
SL9	53

W	
WH	71

mail@matco-norca.com
www.MATCO-NORCA.com



Global sourcing. National compliance. Local service.

CALIFORNIA

5595 Fresca Dr.,
La Palma, CA 90623
Toll Free: 866-532-8306
Fax: 866-532-8307

TEXAS

1150 Silber Rd.,
Houston TX 77055
Toll Free: 800-935-5456
Fax: 713-680-2999

ILLINOIS

278 Windy Point Dr.,
Glendale Heights, IL 60139
Toll Free: 844-412-5068
Fax: 800-640-2252

GEORGIA

113 Industrial Blvd.,
Americus, GA 31709
Toll Free: 800-433-7526
Fax: 800-533-5134

NEW YORK

PO Box 27, R.22,
Brewster NY 10509
Toll Free: 800-431-2082
Fax: 845-278-9056