



**SOLENOID VALVES, CONTROL VALVES,  
SANITARY VALVES, PVC VALVES**



**BALL VALVES, BUTTERFLY VALVES, V-PORT BALL VALVES,  
KNIFE GATE VALVES, FUSIBLE LINK PACKAGES, ACTUATORS &  
VALVE AUTOMATION**



**1500 PSI BALL VALVES**  
2PC HIGH PERFORMANCE

**CONNECTION TYPE:**  
THREADED END  
**SIZES:** 1/2" - 3"  
**MATERIALS:** STAINLESS STEEL  
BLOW OUT DESIGN



**SERIES 50 BALL VALVES**  
HIGH PERFORMANCE

**CONNECTION TYPE:**  
COMPRESSION END  
**SIZES:** 1/4" - 2"  
**MATERIALS:** STAINLESS STEEL  
3 PC, 8 BOLT DESIGN



**SERIES 100 BALL VALVES**  
THREADED END VALVE

**CONNECTION TYPE:**  
THREADED END  
**SIZES:** 1/4" - 4"  
**MATERIALS:** STAINLESS STEEL  
BLOW OUT DESIGN



**SERIES 130 BALL VALVES**  
HIGH PERFORMANCE

**CONNECTION TYPE:**  
THREADED END, SOCKET  
WELD, BUTT WELD  
**SIZES:** 1/2" - 4"  
**MATERIALS:** SS, PTFE, TEFLON



**SERIES 140 BALL VALVES**  
DIRECT MOUNT DESIGN

**CONNECTION TYPE:**  
THREADED, SOCKET,  
BUTT WELD ENDS  
**SIZES:** 1/4" - 4"  
**MATERIALS:** SS, PTFE, TEFLON



**SERIES 150 BALL VALVES**  
SANITARY STYLE VALVE

**CONNECTION TYPE:**  
T-CLAMP END  
**SIZES:** 1/2" - 4"  
**MATERIALS:** SS, CAVITY FILLERS  
TEFLON IS OPTIONAL



**SERIES 200 BALL VALVES**  
3WAY HIGH PERFORMANCE

**CONNECTION TYPE:**  
THREADED, SOCKET AND  
BUT WELD ENDS  
**SIZES:** 1/4" - 2"  
**MATERIALS:** STAINLESS STEEL,  
TEFLON



**SERIES 230 BALL VALVES**  
3WAY BRASS BALL VALVE

DIRECT MOUNT DESIGN  
FULL & STANDARD PORT  
**SIZES:** 1/2" - 3"  
**MATERIALS:** BRASS, OPTIONAL  
BODY O-RINGS



**SERIES 270 BALL VALVES**  
INDUSTRIAL VALVE SERIES

**CONNECTION TYPE:**  
NPT & SOCKET WELD  
**SIZES:** 1/4" - 3"  
**MATERIALS:** STAINLESS STEEL,  
TEFLON 3PC WITH MOUNTING  
PAD



**SERIES 310 3PC VALVE**  
TRUNNION MOUNTED

**CONNECTION TYPE:**  
TRUNNION END  
**SIZES:** 3" - 24"  
**MATERIALS:** STAINLESS STEEL,  
PVC PLASTIC AND MORE



**SERIES 370 BALL VALVES**  
METAL SEATED VALVE

**CONNECTION TYPE:**  
THREADED FLANGED  
**SIZES:** 1/2" - 6"  
**MATERIALS:** STAINLESS STEEL,  
POLYMERIC SEAT SEALS



**SERIES 180 BALL VALVES**  
2PC FULL PORT VALVES

**CONNECTION TYPE:**  
FLANGED END  
**SIZES:** 1/2" - 12"  
**MATERIALS:** STAINLESS STEEL  
FIRE SAFE APPROVAL



**SERIES 1000 BUTTERFLY VALVES**  
 RESILIENT SEATED, TWO FLANGED

HIGH PERFORMANCE  
 MADE FOR VALTORC ACTUATORS  
**SIZES:** 2" - 24", 26" - 40"  
**MATERIALS:** CAST IRON



**SERIES 1100 BUTTERFLY VALVES**  
 INDUSTRIAL SPLIT BOY

ONE-PIECE DISC/STEM DESIGN  
**SIZES:** 2" - 24"  
**MATERIALS:** SS, CAST IRON, BUNA  
 PTFE, NYLON 12, EPDM



**SERIES 1200 BUTTERFLY VALVES**  
 DOUBLE ECCENTRIC DESIGN

HIGH PERFORMANCE  
 DIRECT MOUNT FOR ACTUATORS  
**SIZES:** 2" - 24"  
**MATERIALS:** STAINLESS STEEL OR  
 CARBON STEEL OPTIONAL SEATS



**SERIES 1400 BUTTERFLY VALVES**  
 STAINLESS STEEL BODY

LUG & WAFER STYLES AVAILABLE  
 DOUBLE O-RING SEAL DESIGN  
**SIZES:** 2" - 24"  
**MATERIALS:** STAINLESS STEEL



**SERIES 1500 BUTTERFLY VALVES**  
 TESTED TO AWWA STANDARDS

AVAILABLE IN DOUBLE FLANGED  
 EPDM SEATS AND SEALS AVAILABLE  
**SIZES:** 3" - 24"  
**MATERIALS:** CAST, IRON



**SERIES 1800 BUTTERFLY VALVES**  
 3-WAY FLOW DESIGN

LUG BODY DESIGN  
 BUBBLE-TIGHT SHUTOFF  
**SIZES:** 2" - 30"  
**MATERIALS:** CARBON STEEL  
 OPTIONAL STAINLESS STEEL



**SERIES 3000 BUTTERFLY VALVES**  
 TRIPLE OFFSET METAL SEATED

ZERO LEAKAGE AND TIGHT SHUT-OFF  
 TRIPLE ECCENTRIC DESIGN  
**SIZES:** 3" - 24"  
**MATERIALS:** STAINLESS STEEL,  
 CARBON STEEL



**SERIES PVC-300 BUTTERFLY VALVES**  
 LUG AND WAFER HIGH PERFORMANCE

HIGH PERFORMANCE  
 MADE FOR VALTORC ACTUATORS  
**SIZES:** 2" - 12"  
**MATERIALS:** PVC, EPDM, BUNA-N SEATS



**MOUNTING KITS & HARDWARE**  
 AVAILABLE FOR ALL PARTS/SIZES

STOCK ISO BRACKETS  
 CNC PROCESSED  
 NAMUR BRACKETS  
 MADE WITH STAINLESS STEEL

## INTRODUCING THE NEW.... VALTORC V-PORT BALL VALVES



### **SERIES SVP-1000 V-PORT BALL VALVES**

- \* VALTORC "SVP-1000" SERIES V-PORT BALL VALVES ARE IDEAL FOR ACHIEVING MORE PRECISE CONTROL WITH THE SIMPLICITY AND SEALING FEATURE OF A BALL VALVE.
- \* WE OFFER V-PORT BALL VALVES 1/2" - 4" IN A 3-PIECE DESIGN AND 1/2" - 6" FLANGED.
- \* THE STANDARD "V" NOTCH OPTIONS ARE 30°, 60° & 90°.



### **SERIES VP-700 PVC V-PORT BALL VALVES**

- \* 1/2" - 12" INDUSTRIAL PVC V-PORT BALL VALVES SIZES AVAILABLE
- \* THE STANDARD "V" NOTCH OPTIONS ARE 30°, 60° & 90°
- \* V-PORT BALL VALVES OFFER BETTER AND MORE CONSISTENT FLOW
- \* THIS ALLOWS FOR MUCH BETTER FLOW CHARACTERISTICS AND ELIMINATES THE NEED TO REPLACE SEATS



### **SERIES VP-800 3-WAY V-PORT**

- \* 1/2" - 4" INDUSTRIAL DIRECT MOUNT MULTI-PORT V-PORT BALL VALVES SIZES AVAILABLE
- \* ISO 5211 DIRECT MOUNT PAD. ALLOWS DIRECT MOUNTING OF PNEUMATIC AND ELECTRIC ACTUATORS
- \* FULL PORT, MULTI PORT DESIGN, L&T PORT FLOW DESIGN



### **SERIES VP-900 V-PORT BALL VALVES**

- \* HIGH RANGEABILITY - 300:1 TURN DOWN RATIO V-PORT BALL VALVE
- \* EQUAL PERCENTAGE FLOW CHARACTERISTICS
- \* LOW PRESSURE RECOVERY RATE - MINIMIZES CAVITATION AND EXCESSIVE NOISE
- \* MULTI-BODY RATING ANSI 150/300
- \* ASME B16.10 FACE TO FACE DIMENSIONS



**INDUSTRIAL CONTROL VALVES**  
 SINGLE SEATED BRONZE BODY

HIGH PERFORMANCE  
 MADE FOR VALTORC ACTUATORS  
**SIZES:** 1/2" - 2"  
 FIELD REVERSIBLE ACTUATORS



**FUSIBLE LINK PACKAGES**  
 AUTOMATIC CLOSURE IN CASE OF FIRE

AVAILABLE IN ANSI FLANGES  
 API 607 FIRE SAFE VALVE  
**SIZES:** 1/2" - 4"  
 HEAVY-DUTY SOLDERED FUSIBLE LINKS



**GATE/CHECK/GLOBE VALVES**  
 FLANGED, THREADED OR SOCKET

HIGH PERFORMANCE  
 Y STRAINERS ARE OPTIONAL  
 AVAILABLE IN VARIOUS SIZES  
 AND IN VARIOUS MATERIALS



**KNIFE GATE VALVES**  
 CYLINDER KNIFE GATE VALVES

TWO-WAY, ZERO LEAKAGE  
 ROBUST FULL FACE FLANGE  
**SIZES:** 2" - 24"  
**MATERIALS:** STAINLESS STEEL



**PLUG VALVES**  
 SUPERIOR LONG-LASTING SHUT-OFF

BI-DIRECTIONAL LINEAR FLOW  
 SUPERIOR LONG-LASTING SHUT-OFF  
**SIZES:** 2" - 4"  
 AVAILABLE IN VARIOUS MATERIALS



**HEAVY DUTY PVC VALVES**  
 MADE FROM HIGH QUALITY PVC

BALL VALVES, BUTTERFLY VALVES  
 AND V-PORT BALL VALVES  
**SIZES:** 1" - 12"  
 FLANGED AND NPT AVAILABLE



**INDUSTRIAL NEEDLE VALVE**  
 HIGH PRESSURE VALVE

**AVAILABLE SIZES:** 1/4" - 1"  
 316/304 STAINLESS STEEL BODY  
 HIGH PRESSURE 6000PSI WOG  
 PTFE PACKING



**SANITARY VALVES**  
 BALL VALVE, PLUG VALVE, 3-WAY

AIR AND ELECTRIC ACTUATORS  
 ARE ALSO AVAILABLE  
**SIZES:** 1/2" - 6"  
**MATERIALS:** STAINLESS STEEL



**SOLENOID VALVES**  
 ZERO DIFFERENTIAL OPERATION

MOUNTS IN ANY POSITION  
**SIZES:** 1/4" - 4"  
**MATERIALS:** STAINLESS STEEL  
 PVC AND BRASS AVAILABLE



**SERIES EL-600**  
ELECTRIC ACTUATOR

OPEN/CLOSE CONTROL  
EFFICIENT, LOW POWER,  
CONSISTENT PERFORMANCE  
DC MOTORS ARE AVAILABLE  
MOST COST-EFFECTIVE  
NO MAINTENANCE REQUIRED



**SERIES EL700/710/720/730**  
ELECTRIC ACTUATOR

**ELECTRIC MOTOR:**  
120VAC  
**RANGE:**  
-31°F TO +150°F  
OVERLOAD PROTECTION  
MANUAL HANDLE OVERRIDE  
CE, NEMA 4X



**SERIES EL-900 ACTUATOR**  
SPRING RETURN ELECTRIC  
ACTUATOR (DAMPER STYLE)

REMOVABLE COUPLE  
INTEGRAL AUXILIARY SWITCH  
REVERSIBLE MOUNTING  
SIMPLIFY FIELD WIRING  
ELECTRONIC STALL DETECTION



**SERIES EL-XP**  
ELECTRIC ACTUATOR

WATER/EXPLOSION PROOF  
FINE ADJUST CAM  
20 OR 5 WATT SPACE  
HEATER INCLUDED  
ALLOWS +/- 5 DEGREES  
ADJUSTMENT



**SERIES UPS9**  
UNINTERRUPTIBLE BATTERY  
BACKUP SYSTEMS

120VAC OPERATION. ALSO:  
230VAC, 12VDC, 24VDC  
24VAC UNITS ARE AVAILABLE  
EXPLOSION-PROOF DESIGN  
EASY WIRING



**SERIES 9AAG**  
SOLENOID VALVES

NAMUR MOUNT/NEMA4  
100% DUTY CYCLE  
110V, 220V OR 12 & 24 VDC  
OR 24VAC  
2.5W POWER CONSUMPTION  
EXPLOSION PROOF AVAILABLE



**SERIES LSN-4**  
VALTORC LIMIT SWITCH

POLYCARBONATE DOME  
(2) 1/2" CONDUIT ENTRIES  
WEATHER PROOF ACTUATOR  
ALUMINUM BODY MATERIAL  
PROTECTION AGAINST SHORT  
CIRCUIT



**SERIES LSN-7**  
VALTORC LIMIT SWITCH

USING HAVE CAPTIVE  
COVER BOLTS  
SOLENOID TERMINATION  
INSIDE THE SWITCH BOX  
SHATTER-PROOF DESIGN  
SPECIAL PRINTED BOARD



**PNEUMATIC ACTUATORS**  
DOUBLE ACTING &  
SPRING RETURN

TOP QUALITY BEARINGS  
HARD ANODIZED EXTRUDED  
ALUMINUM BODY  
METAL SPRING GUIDES  
LOW FRICTION/HIGH LIFE



**SERIES SSPA-10 ACTUATOR**  
STAINLESS STEEL PNEUMATIC  
ACTUATOR

HEAVY-DUTY PINION  
SPRING CARTRIDGES  
ALL SS HOUSING  
DIRECT MOUNTING OF  
MOST ISO PAD VALVES



**SERIES VP700 & VP900**  
VALTORC POSITIONERS

**AVAILABILITY:**  
ROTARY OR LINEAR  
SPLIT RANGE AVAILABLE  
VIBRATION RESISTANT  
STAINLESS STEEL GAUGES  
CERTIFIED FOX ATEX



**VALTORC SERIES DGO**  
DECLUTCHABLE GEARBOX  
OPERATOR

DESIGNED FOR VALTORC  
VALVES & ACTUATORS  
SMALL & LIGHT WEIGHT  
TWO KEY WAYS  
WIDE RANGE OF SIZES



**FULL PORT STAINLESS STEEL BALL VALVES**  
 PNEUMATIC OR ELECTRIC ACTUATOR  
 ARE AVAILABLE

DIRECT MOUNT FOR LOW-PROFILE  
 STEM PACKING FOR HIGH CYCLE  
 SIZES: 1/4" - 3"  
**MATERIALS:** STAINLESS STEEL



**3-PIECE STAINLESS STEEL BALL VALVES**  
 PNEUMATIC OR ELECTRIC ACTUATOR  
 ARE AVAILABLE

NPT, SOCKET WELD OR BUTT WELD END  
 COST-EFFICIENT OPERATIONS  
 SIZES: 1/4" - 4"  
**MATERIALS:** STAINLESS STEEL



**SANITARY TRI-CLAMP BALL VALVES**  
 PNEUMATIC OR ELECTRIC ACTUATOR  
 ARE AVAILABLE

CLAMP ENDS AND CAVITY FILLERS  
 ISO MOUNTING PAD  
 SIZES: 1/2" - 4"  
**MATERIALS:** STAINLESS STEEL



**STAINLESS STEEL FLANGED BALL VALVES**  
 PNEUMATIC OR ELECTRIC ACTUATORS  
 ARE AVAILABLE

ISO MOUNTING PAD  
 ADJUSTABLE BELLEVILLE WASHERS  
 SIZES: 1/2" - 4"



**FULL PORT BRASS BALL VALVES**  
 PNEUMATIC OR ELECTRIC  
 ACTUATORS ARE AVAILABLE

DIRECT MOUNT FOR LOW PROFILE  
 600 WOF/15PSI LOW PRESSURE STEAM  
 SIZES: 1/4" - 3"



**3-WAY BRASS BALL VALVES**  
 PNEUMATIC OR ELECTRIC  
 ACTUATORS ARE AVAILABLE

L-PORT AND T-PORT  
 INDUSTRIAL 4-SEAT DESIGN  
 SIZES: 1/4" - 4"



**PVC/CPVC AUTOMATED BALL VALVES**  
 PNEUMATIC OR ELECTRIC  
 ACTUATORS ARE AVAILABLE

TRUE UNION OR FLANGED ENDS  
 NSF LISTED FOR POTABLE WATER  
 SIZES: 1/2" - 6"



**3-WAY PVC AUTOMATED BALL VALVES**  
 PNEUMATIC OR ELECTRIC ACTUATORS  
 ARE AVAILABLE

L-PORT OR T-PORT CONFIGURATIONS  
 TRUE UNION THREADED/SOCKET ENDS  
 SIZES: 1/2" - 2"



**AUTOMATED BUTTERFLY VALVES**  
 PNEUMATIC OR ELECTRIC  
 ACTUATORS ARE AVAILABLE

STAINLESS STEEL STEM  
 AVAILABLE IN WAFER OR LUG  
 SIZES: 2" - 12"



## VALTORC® ALSO OFFERS:

- FULL PORT BRASS BALL VALVES
- 3-WAY BRASS BALL VALVES
- FULL PORT STAINLESS BALL VALVES
- 3-PC STAINLESS STEEL BALL VALVES
- SS SANITARY TRI-CLAMP BALL VALVES
- STAINLESS STEEL FLANGED VALVES
- PVC/CPVC BALL VALVES
- 3-WAY PVC BALL VALVES
- BUTTERFLY VALVES, WAFER & LUG STYLE
- TRIPLE OFFSET BUTTERFLY VALVES
- PNEUMATIC ACTUATORS
- ELECTRIC ACTUATORS
- LIMIT SWITCHES
- VALVE POSITIONERS
- GEAR OVERRIDES
- LOCKOUTS
- PILOT VALVES
- MOUNTING KITS
- POULTRY PROCESSING
- POULTRY SCALDER PANEL
- SOLENOID VALVES
- INDUSTRIAL VALVES
- BALL VALVES
- BUTTERFLY VALVES
- KNIFE GATE VALVES
- PLUG VALVES
- SANITARY VALVES
- SAFETY RELIEF
- PVC VALVES
- V-PORT BALL VALVES

## WHY CHOOSE VALTORCINTERNATIONAL?

- WORLDWIDE DELIVERY
- THE BEST PRICES IN THE USA
- SAME DAY SHIPPING
- INVENTORY READY TO SHIP
- EMERGENCY SERVICE
- OVER 40 YEARS EXPERIENCE
- QUALITY PRODUCTS & ATTENTION TO CUSTOMER NEEDS



VALTORC® INTERNATIONAL IS A MAJOR SUPPLIER IN THE INDUSTRIAL CONTROL AND ACTUATED VALVES MARKET WORLDWIDE SUPPLYING ARRA COMPLIANT VALVES AND MANY MORE QUALITY PRODUCT SINCE 1980. WE HAVE A BROAD PRODUCT LINE OF STANDARD CONTROL DEVICES TO MEET EVEN THE MOST DEMANDING CUSTOMER REQUIREMENTS. CONTACT US TODAY TO LEARN MORE!

## CONTACT US TODAY!

TOLL FREE: 1-866-VALTORC  
LOCAL: 770-423-7100  
FAX: 770-499-7483

## EMAIL ONLINE @

WWW.VALTORC.COM  
SALES@VALTORC.COM